

PRELIMINARY CRUISE REPORT, W0204A
R/V WECOMA, 4-9 April 2002
GLOBEC NEP Long-Term Observations off Oregon

Submitted by Jane Fleischbein
College of Oceanic & Atmospheric Sciences
Oregon State University
Corvallis, Oregon 97331-5503
fleis@oce.orst.edu, 541.737.5698

FILING DATE: 4 May 2002

CONTRACT/GRANT NUMBER: NSF Grant OCE-0000733.

PRINCIPAL INVESTIGATORS: Adriana Huyer, Robert L. Smith,
P. Michael Kosro, P. A. Wheeler, Jack A. Barth, W. T. Peterson, E. Sherr and B. Sherr

PURPOSE: To determine physical, plankton and nutrient/chemical conditions over the continental margin for climate change studies in NE Pacific. In particular, to make CTD and CTD/rosette and net tow stations along 5 lines (off Newport, Heceta Head, Coos Bay, the Rogue River, OR. and Crescent City, CA.), to make continuous bio-acoustic observations between the 50-500m. isobaths along the 5 lines, to deploy drifters at selected locations on the Newport line, and to make continuous observations of currents using ADCP and of surface-layer temperature, salinity and fluorescence by means of ship's thru-flo system. Figure 1 shows the location of the CTD stations. Table 1 shows the CTD station positions, and Table 2 shows the biochemical sampling depths.

SAMPLING PLAN:

1. Use ship's intake continuously for Temperature, Salinity, and Fluorescence
2. Continuous ADCP Profiling (150 kHz transducer) for water velocity and backscattering for bio-acoustics.
3. Standard CTD Stations using SBE 9/11 plus CTD system for Temperature, Salinity, Fluorescence, Light Transmission, Oxygen, PAR.
4. Rosette sampling: 5 liter bottles for nutrients, chlorophyll, microzooplankton
5. Deploy surface drifters at selected NH-line stations.
6. Vertical net tows: 1/2 meter nets 100 m to surface; Horizontal net tows with 1 m² MOCNESS.
7. Continuous bio-acoustic observations between the 50-500m isobath along 5 sections using a Hydroacoustics Technology, Inc., system towed alongside the ship.


CRUISE NARRATIVE

A brief overview of W0204A is presented here. An event log is provided in Table 3, and participating personnel are listed in Table 4. Wecoma departed Newport at 1356 PDT on 4 April 2002. CTD sampling started at NH-1 and continued out to NH-85. A single vertical net tow was done at NH-1. The Benthos altimeter on the CTD gave intermittent results on the first 2 stations so it was replaced with a Simrad altimeter prior to station 3. The HTI (bio-acoustic system) was deployed at NH-3, and both MOCNESS and vertical net tows were started at NH-5. Drifters were released at NH-10, 15, 25, 45 and 65. The ship transit to the offshore end of the FM-line in order to be at the inshore end at daylight, and began sampling at FM-9 at 0031 PDT, 6 April. the HTI was deployed at FM-8. At station 19, at FM-3, several of the Niskin bottles came up partially empty, and the winch

operator reported seeing a large group of bubbles at the beginning of the cast. Unsure of what happened, the cast was repeated as station 20, and all of the Niskin bottles appeared to have fired correctly. The FM line was finished at 1638 PST, and the ship transited to the offshore end of the Crescent City line.

Sampling began at CR-11 at 0244 PDT on 7 April, doing CTD's and vertical net tows while working towards shore. Following CR-4, the ship ran inshore to CR-1 so the inshore stations could be completed in daylight. Following CR-1, the HTI was deployed, and Mocness tows were started along with CTD's at CR-2. The CTD sampling was completed at CR-3, then only Mocness and vertical net tows were done at CR-4 and CR-6, finishing the CR line at 0325 PDT on 8 April.

Figure 1. CTD stations during W0204A, along the Newport, Five Mile, Heceta Head, Rogue River and Crescent City Hydrographic Lines.



The ship arrived at the inshore end of the Rogue River line at 0804 PDT on 8 April, and the RR-line was completed at 1935 PDT on 9 April doing both CTD's and the usual net tows in order. The ship transited to HH-1, arriving at 0445 PDT, 9 April. Vertical net tows were completed along with the CTD's at HH-1 and HH-2, and then only CTD's were done working out to HH-9 to allow the Mocness sampling to occur during the night. At CTD station 46, HH-9, the secondary pump possibly had an air block at the beginning of the cast, since the secondary conductivity values are too low near the surface. The CTD's were completed at 1654 PDT on 9 April, and the ship ran back to HH-5, arriving at 1855 to begin the HTI sampling and Mocness tows working toward shore. Net sampling at HH-2 was completed at 0756 PDT, 10 April and the ship transited to Newport, arriving at the pier at 1300 PDT.

PRELIMINARY RESULTS

Winds had been favorable for coastal upwelling for a week or so before the cruise, and Mike Kosro's surface current maps (<http://bragg.coas.oregonstate.edu/seasonde/>) for 30 March and 4 April 2002 show a strong coastal jet was already flowing southward along the mid-shelf off Newport). Time series of wind speed and direction (Figure 2) show that winds were highly variable during our cruise: from the south on 5 April, from the northwest on 6-8 April, and from the south on 8-10 April.

All temperature, salinity and density sections show isopleths upwarping toward the coast from depth of 150-150 m offshore. This upwarping is particularly obvious in salinity, which also shows most clearly how much farther offshore the upwelling front lies off Crescent City than off Newport.

Fluorescence was high on all sections, especially on the FM-line (off-scale at all stations from FM-7 to FM-1) and the HH-line. A few shelf stations (30 and 31 on the CR-line and 33 on the RR-line) had high fluorescence near the bottom, as well as near the surface. A sample profile is shown for Station 31 off Crescent City (Figure 3): note that the bottom layer has very low light transmission as well as high fluorescence. Of these, Station 31 off Crescent City the high fluorescence in the bottom layer was off-scale, even exceeding the high values of the surface layer.


There's a lot of interleaving in the pycnocline, which is manifested most clearly in the temperature inversions between the 8 and 9 C isotherms off Newport, and in oxygen inversions between the 3 and 4 ml/l contours off Rogue River. There seems to be a lot more fine-scale structure than usual, but this will need to be confirmed by quantitative studies, beyond the scope of this preliminary report.

Because of an instrument malfunction, we made a second CTD cast at FM-3 about 35 minutes after the first, and found a remarkably large change in the shape of the temperature, salinity and density profiles (see plots and tabulated data for Stations 19 and 20, Figure 4), though surface and bottom values remained nearly the same. Especially striking is the change in surface layer depth, from less than 4 m to nearly 20 m.


Drifters deployed off Newport show clearly that the southward-flowing jet was constrained to the shelf. The drifters at NH-10 and NH-15 were advected rapidly southward during our cruise, those deployed at NH-25 and NH-45 moved slowly Southwestward, while the one deployed at NH-85 moved slowly northward.



The attached zooplankton report was provided by Dr. Wm. Peterson, and the attached microzooplankton report was provided by the Drs. Evelyn and Barry Sherr.

Figure 2. W0204A Wind Speed and Direction on R/V Wecoma



.... Port Starboard






STA NO 31 CR-2 LAT: 41 54.0 N LONG: 124 24.0 W
 08 APR 2002 210 GMT DEPTH 68

| P (DB) | T (C) | S | POT T (C) | SIGMA THETA | GEO AN (J/KG) | FL (V) | TRN (V) |
|--------|-------|--------|-----------|-------------|---------------|--------|---------|
| 2 | 9.186 | 33.528 | 9.186 | 25.937 | 0.041 | 3.72 | 75.90 |
| 10 | 9.198 | 33.524 | 9.197 | 25.932 | 0.206 | 3.23 | 75.90 |
| 20 | 8.783 | 33.685 | 8.781 | 26.123 | 0.407 | 1.30 | 80.40 |
| 30 | 8.546 | 33.782 | 8.543 | 26.236 | 0.587 | 0.61 | 83.40 |
| 40 | 8.385 | 33.829 | 8.381 | 26.297 | 0.762 | 1.80 | 81.60 |
| 50 | 8.305 | 33.853 | 8.300 | 26.329 | 0.933 | 4.06 | 71.10 |
| 60 | 8.229 | 33.884 | 8.223 | 26.364 | 1.101 | 5.00 | 63.10 |
| 61 | 8.230 | 33.885 | 8.224 | 26.365 | 1.118 | 5.00 | 65.10 |

Figure 4. Plots and Listings for Stations 19 and 20.


Station 19 FM-3
Temperature, Salinity



STA: 19 FM-3 LAT: 43 13.1 N LONG: 124 30.0 W
06 APR 2002 2213 GMT DEPTH 65

| P (DB) | T (C) | S | POT T (C) | SIGMA THETA | DYN HT (J/KG) | FL (V) | TRN (%) |
|--------|-------|--------|-----------|-------------|---------------|--------|---------|
| 2 | 10.07 | 32.713 | 10.07 | 25.156 | 0.056 | 5.00 | 61.0 |
| 10 | 8.89 | 33.170 | 8.89 | 25.703 | 0.262 | 2.97 | 76.7 |
| 20 | 8.32 | 33.599 | 8.32 | 26.127 | 0.470 | 0.99 | 82.6 |
| 30 | 8.04 | 33.829 | 8.04 | 26.348 | 0.649 | 0.26 | 85.2 |
| 40 | 7.86 | 33.897 | 7.86 | 26.428 | 0.812 | 0.18 | 85.6 |
| 50 | 7.76 | 33.917 | 7.76 | 26.459 | 0.970 | 0.21 | 83.9 |
| 60 | 7.76 | 33.923 | 7.75 | 26.465 | 1.127 | 0.19 | 84.4 |

Station 20 FM-3
Temperature, Salinity



STA: 20 FM-3 LAT: 43 13.1 N LONG: 124 30.0 W
06 APR 2002 2247 GMT DEPTH 66

| P (DB) | T (C) | S | POT T (C) | SIGMA THETA | DYN HT (J/KG) | FL (V) | TRN (%) |
|--------|-------|--------|-----------|-------------|---------------|--------|---------|
| 2 | 9.80 | 32.713 | 9.80 | 25.201 | 0.055 | 5.00 | 58.8 |
| 10 | 9.73 | 32.726 | 9.73 | 25.222 | 0.275 | 5.00 | 59.5 |
| 20 | 9.60 | 32.759 | 9.59 | 25.269 | 0.548 | 5.00 | 61.9 |
| 30 | 8.35 | 33.596 | 8.34 | 26.121 | 0.791 | 2.16 | 77.9 |
| 40 | 7.98 | 33.855 | 7.97 | 26.379 | 0.969 | 0.26 | 85.1 |
| 50 | 7.78 | 33.910 | 7.77 | 26.452 | 1.129 | 0.23 | 83.7 |
| 60 | 7.78 | 33.920 | 7.78 | 26.459 | 1.287 | 0.23 | 83.8 |
| 62 | 7.78 | 33.920 | 7.77 | 26.459 | 1.318 | 0.21 | 83.9 |

Table 1. CTD station positions during W0204A, and sampling at each station (C: Bio/Chem bottle sampling, N:half-meter vertical net tows, M:Mocness, O:Oxygen samples, D:Drifter, Z:Microzooplankton bottle sampling).

| Station | | Distance | Lat. | Long. | Bottom | Cast | Sampling | |
|---------|-----|------------|-------|---------|--------|-------|-----------|--|
| Name | No. | from shore | °N | °W | Depth | Depth | Type | |
| | | (km) | | | (m) | (db) | | |
| NH-1 | 1 | 3.1 | 44.65 | -124.10 | 29 | 25 | N | |
| NH-3 | 2 | 5.4 | 44.65 | -124.13 | 48 | 44 | | |
| NH-5 | 3 | 9.1 | 44.65 | -124.18 | 59 | 56 | C,Z,N,M | |
| NH-10 | 4 | 18.3 | 44.65 | -124.29 | 83 | 80 | N,D | |
| NH-15 | 5 | 27.6 | 44.65 | -124.41 | 92 | 88 | C,Z,N,M,D | |
| NH-20 | 6 | 36.9 | 44.65 | -124.53 | 143 | 137 | N | |
| NH-25 | 7 | 46.5 | 44.65 | -124.65 | 295 | 288 | C,Z,N,M,D | |
| NH-35 | 8 | 64.8 | 44.65 | -124.88 | 437 | 427 | C,Z,N,M | |
| NH-45 | 9 | 83.3 | 44.65 | -125.12 | 702 | 680 | C,Z,N,M,D | |
| NH-55 | 10 | 103.2 | 44.65 | -125.37 | 2866 | 1006 | O2 | |
| NH-65 | 11 | 121.5 | 44.65 | -125.60 | 2857 | 1005 | C,Z,N,D | |
| NH-85 | 12 | 157.0 | 44.65 | -126.05 | 2884 | 1006 | C | |
| FM-9 | 13 | 62.8 | 43.22 | -125.17 | 1649 | 1006 | C,Z,N | |
| FM-8 | 14 | 49.1 | 43.22 | -125.00 | 1083 | 1005 | C,Z,N | |
| FM-7 | 15 | 35.7 | 43.22 | -124.83 | 343 | 330 | C,Z,N,M | |
| FM-6 | 16 | 29.1 | 43.22 | -124.75 | 317 | 312 | O2 | |
| FM-5 | 17 | 22.2 | 43.22 | -124.67 | 157 | 151 | C,N,M | |
| FM-4 | 18 | 15.2 | 43.22 | -124.58 | 85 | 80 | C,Z,N,M | |
| FM-3 | 19 | 8.7 | 43.22 | -124.50 | 65 | 60 | N | |
| FM-3 | 20 | 8.7 | 43.22 | -124.50 | 66 | 62 | C,Z,M | |
| FM-1 | 21 | 3.3 | 43.22 | -124.43 | 34 | 30 | N | |
| CR-11 | 22 | 148.5 | 41.90 | -126.00 | 3329 | 1005 | C,Z,N | |
| CR-10 | 23 | 120.8 | 41.90 | -125.67 | 2930 | 1005 | | |
| CR-9a | 24 | 98.9 | 41.90 | -125.40 | 3096 | 1006 | C,Z,N | |
| CR-8 | 25 | 82.2 | 41.90 | -125.20 | 2723 | 1005 | O2 | |
| CR-7 | 26 | 65.7 | 41.90 | -125.00 | 838 | 835 | C,Z,N | |
| CR-6 | 27 | 49.3 | 41.90 | -124.80 | 699 | 690 | N,M | |
| CR-5 | 28 | 40.9 | 41.90 | -124.70 | 658 | 646 | C | |
| CR-4 | 29 | 32.6 | 41.90 | -124.60 | 504 | 495 | C,Z,N,M | |
| CR-1 | 30 | 7.8 | 41.90 | -124.30 | 40 | 35 | C,Z,N | |
| CR-2 | 31 | 16.1 | 41.90 | -124.40 | 68 | 61 | N,M | |
| CR-3 | 32 | 24.4 | 41.90 | -124.50 | 138 | 134 | C,Z,N,M | |
| RR-1 | 33 | 7.2 | 42.50 | -124.50 | 37 | 32 | C,Z,N | |
| RR-2 | 34 | 15.6 | 42.50 | -124.60 | 88 | 83 | C,Z,N,M | |
| RR-3 | 35 | 23.7 | 42.50 | -124.70 | 135 | 130 | C,Z,N,M | |
| RR-4 | 36 | 32.0 | 42.50 | -124.80 | 584 | 570 | C,Z,N,M | |
| RR-5 | 37 | 40.0 | 42.50 | -124.90 | 1158 | 1005 | O2 | |
| RR-6 | 38 | 48.3 | 42.50 | -125.00 | 1768 | 1006 | C,Z,N | |
| RR-7 | 39 | 64.6 | 42.50 | -125.20 | 2970 | 1006 | C,Z,N | |
| HH-1 | 40 | 5.0 | 44.00 | -124.20 | 54 | 48 | C,Z,N | |
| HH-2 | 41 | 20.9 | 44.00 | -124.40 | 120 | 110 | C,Z,N,M | |
| HH-3 | 42 | 36.9 | 44.00 | -124.60 | 155 | 151 | C,Z,N,M | |
| HH-4 | 43 | 52.8 | 44.00 | -124.80 | 113 | 109 | C,Z,N,M | |
| HH-5 | 44 | 68.9 | 44.00 | -125.00 | 927 | 925 | C,Z,N,M | |
| HH-7 | 45 | 84.8 | 44.00 | -125.20 | 1687 | 1006 | C,Z | |
| HH-9 | 46 | 108.9 | 44.00 | -125.50 | 3016 | 1005 | C,Z | |

Table 2: Actual sample depths and types of subsamples for biochemical sampling during the April '02 LTOP GLOBEC cruise.

| Station | Sample Collection Depths (m) | Type of Sample Collected |
|----------------|----------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| NH-05 | 56, 50, 40, 30, 25, 20, 15, 10, 5, 1 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) |
| NH-15 | 88, 74, 70, 60, 50, 40, 30, 20, 10, 5, 2 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) |
| NH-25 | 200, 150, 100, 70, 50, 40, 30, 20, 17, 10, 2 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) (except 200 and 150 m) |
| NH-35 | 427, 250, 150, 100, 70, 50, 40, 30, 20, 10, 5, 1 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) (except 427, 250 and 150 m) |
| NH-45 | 680, 499, 150, 100, 69, 50, 40, 30, 25, 19, 10, 2 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) (except 680, 499 and 150m) |
| NH-65 | 1005, 600, 150, 100, 70, 50, 40, 30, 20, 15, 10, 1 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) (except 1005, 600 and 150m) |
| NH-85 | 1005, 285, 150, 100, 70, 50, 40, 30, 20, 10, 4, 1 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) (except 1005, 285 and 150 m) |

| | | |
|------|---------------------------------------------------|---------------------------------------------------------------------------------------------|
| FM-3 | 60, 55, 50, 40, 30, 25, 20, 15, 10, 5, 1 | TOC (all depths), Nutrients, TN (all depths), Chl, POC/PON |
| FM-4 | 80, 70, 60, 50, 41, 30, 20, 10, 5, 1 | TOC (surface), Nutrients, TN (surface), both Chl, POC/PON |
| FM-5 | 151, 100, 70, 60, 50, 40, 30, 20, 10, 5, 2 | TOC (surface), Nutrients, TN (surface), both Chl, POC/PON (except 151m) |
| FM-7 | 300, 150, 100, 70, 50, 38, 31, 19, 14, 10, 5, 2 | TOC (all depths), Nutrients, TN (all depths) both Chl, POC/PON (except 300 and 150m) |
| FM-8 | 1000, 850, 150, 100, 70, 50, 40, 30, 20, 10, 5, 1 | TOC (surface), Nutrients, TN (surface) both Chl, POC/PON (except 1000, 850, and 150m) |
| FM-9 | 1000, 965, 150, 100, 70, 50, 40, 30, 20, 10, 5, 2 | TOC (all depths), Nutrients, TN (all depths) both Chl, POC/PON (except 1000, 965, and 150m) |

Table 2 cont.

| | | |
|-------|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| CR-1 | 35, 30, 25, 20, 15, 10, 5, 2 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) |
| CR-3 | 133, 100, 70, 60, 50, 40, 30, 20, 10, 5, 2 | TOC (surface), Nutrients, TN (all depths), both Chl and POC/PON (all depths) |
| CR-4 | 495, 450, 150, 100, 70, 50, 40, 30, 25, 20, 10, 2 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) (except 495, 450, and 150m) |
| CR-5 | 645, 500, 400, 150, 100, 70, 50, 40, 30, 20, 10, 1 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) (except 645, 500, 400 and 150m) |
| CR-7 | 835, 500, 150, 100, 70, 50, 40, 30, 20, 10, 5, 1 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) (except 835, 500 and 150m) |
| CR-9a | 1005, 770, 150, 100, 70, 50, 40, 30, 20, 10, 4, 2 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) (except 1005, 770 and 150m) |
| CR-11 | 1000, 390, 150, 100, 70, 50, 40, 30, 20, 15, 10, 1 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) (except 1000, 390 and 150m) |

| | | |
|------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| RR-1 | 32, 30, 25, 20, 15, 10, 5, 2 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) |
| RR-2 | 83, 70, 60, 50, 40, 30, 20, 10, 5, 2 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) |
| RR-3 | 120, 70, 60, 50, 40, 30, 20, 15, 10, 5, 2 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) |
| RR-4 | 500, 450, 150, 100, 70, 50, 40, 30, 20, 10, 5, 1 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) (except 500, 450, and 150 m) |
| RR-6 | 1005, 200, 150, 100, 70, 50, 40, 30, 25, 20, 10, 2 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) (except 1005, 200, and 150 m) |
| RR-7 | 1006, 830, 150, 99, 70, 50, 30, 25, 20, 10, 2 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) (except 1006, 830 and 150) |

Table 2 cont.

| | | |
|------|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| HH-1 | 48, 40, 29, 25, 20, 15, 10, 5, 2 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) |
| HH-2 | 100, 70, 60, 50, 40, 30, 24, 20, 10, 4, 3 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) |
| HH-3 | 144, 125, 100, 69, 59, 50, 40, 30, 20, 10, 2 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) |
| HH-4 | 110, 95, 70, 60, 50, 40, 30, 20, 10, 5, 2 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) |
| HH-5 | 820, 500, 150, 100, 70, 50, 40, 30, 25, 20, 10, 2 | TOC (all depths), Nutrients, TN (all depths), both Chl and POC/PON (all depths) (except 820, 500, and 150 m) |
| HH-7 | 1005, 900, 150, 70, 50, 40, 30, 20, 10, 2 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) (except 1005, 900, and 150) |
| HH-9 | 1004, 910, 150, 99, 70, 50, 45, 40, 30, 20, 10, 1 | TOC (surface), Nutrients, TN (surface), both Chl and POC/PON (all depths) (except 1004, 910, and 150) |

| <u>Subsample</u> | <u>Replicates</u> |
|-------------------------|--------------------------|
| TOC | 3 |
| Nutrients | 2 |
| TN | 3 |
| Chl | 2 |
| POC/PON | 1 |

Table 3. R/V WECOMA Cruise W0204A

| (UT) | Start Time (UT) | End Time (UT) | Sta. No. | Sta. Name | Latitude (deg) (min) | Longitude (deg) (min) | Bottom Depth (m) | Atmos Press (mbar) | Wind Dir. (deg T) | Wind Speed (kts) | Event | Event ID |
|-------|-----------------|---------------|----------|-----------|----------------------|-----------------------|------------------|--------------------|-------------------|------------------|------------------------------------|------------|
| 4-Apr | 2057 | | | | | | | | | | Start DAS | |
| | 2145 | | | | | | | | | | Start echosounder | |
| | 2156 | | | | | | | | | | Depart Newport | |
| | 2159 | | | | | | | | | | Start ADCP | |
| | 2200 | | | | | | | | | | air calibration of transmissometer | |
| | 2228 | | | | | | | | | | Start flo-thru | |
| | 2228 | | | | | | | | | | Start flo-thru fluorometer | |
| 4-Apr | 2320 | | 1 | NH-1 | 44 39.1 | -124 06.1 | 29 | 1017.0 | 205 | 12 | CTD | WE09402.1 |
| | 2332 | 2336 | | | 44 39.1 | -124 06.1 | | | | | vertical net tow, 25m | WE09402.2 |
| | 2359 | | 2 | NH-3 | 44 39.1 | -124 07.8 | 48 | 1016.5 | 200 | 10 | CTD | WE09402.3 |
| 5-Apr | 0021 | | | | 44 39.3 | -124 08.0 | | | | | HTI deployed | WE09502.1 |
| | | | | | | | | | | | changed to Simrad altimeter | |
| | 0053 | | 3 | NH-5 | 44 39.1 | -124 10.6 | 59 | 1016.5 | 200 | 11 | CTD with biochem, mzp | WE09502.2 |
| | 0109 | 0113 | | | 44 39.1 | -124 10.6 | | | | | vertical net tow, 55 m | WE09502.3 |
| | 0114 | 0113 | | | 44 39.0 | -124 10.6 | | | | | Secchi disk | WE09502.4 |
| | 0125 | | | | 44 38.9 | -124 10.7 | | | | | Mocness deployed | WE09502.5 |
| | | 0151 | | | 44 38.2 | -124 11.1 | | | | | Mocness aboard | WE09502.6 |
| | 0240 | | 4 | NH-10 | 44 39.0 | -124 17.7 | 83 | 1016.2 | 185 | 10 | CTD | WE09502.7 |
| | 0256 | 0300 | | | 44 38.8 | -124 17.8 | | | | | vertical net tow, 76 m | WE09502.8 |
| | 0303 | | | | 44 38.68 | -124 18.07 | | | | | drifter 35894 deployed | WE09502.9 |
| | 0351 | | 5 | NH-15 | 44 39.0 | -124 24.7 | 92 | 1015.8 | 180 | 11 | CTD with biochem, mzp | WE09502.10 |
| | 0414 | 0419 | | | 44 39.0 | -124 24.7 | | | | | vertical net tow, 88 m | WE09502.11 |
| | 0432 | | | | 44 38.8 | -124 25.1 | | | | | Mocness deployed | WE09502.12 |
| | | 0501 | | | 44 38.0 | -124 26.1 | | | | | Mocness aboard | WE09502.13 |
| | 0507 | | | | 44 37.96 | -124 26.28 | | | | | drifter 35895 deployed | WE09502.14 |
| | 0547 | | 6 | NH-20 | 44 39.1 | -124 31.7 | 143 | 1016.0 | 160 | 10 | CTD | WE09502.15 |
| | 0607 | 0612 | | | 44 39.1 | -124 31.7 | | | | | vertical net tow, 100 m | WE09502.16 |
| | 0702 | | 7 | NH-25 | 44 39.1 | -124 39.0 | 295 | 1016.1 | 180 | 14 | CTD with biochem, mzp | WE09502.17 |
| | 0730 | 0736 | | | 44 39.2 | -124 39.0 | | | | | vertical net tow, 100 m | WE09502.18 |
| | 0745 | | | | 44 39.0 | -125 39.1 | | | | | Mocness deployed | WE09502.19 |
| | | 0851 | | | 44 36.6 | -124 41.1 | | | | | Mocness aboard | WE09502.20 |
| | 0858 | | | | 44 36.52 | -124 41.33 | | | | | Drifter 35986 deployed | WE09502.21 |
| | 1017 | | 8 | NH-35 | 44 39.1 | -124 52.9 | 437 | 1015.9 | 170 | 18 | CTD with biochem, mzp | WE09502.22 |
| | 1052 | 1058 | | | 44 39.1 | -124 52.8 | | | | | vertical net tow, 100 m | WE09502.23 |
| | 1105 | | | | 44 39.1 | -124 52.8 | | | | | Mocness deployed | WE09502.24 |
| | | 1216 | | | 44 36.3 | -124 55.4 | | | | | Mocness aboard | WE09502.25 |
| | 1347 | | 9 | NH-45 | 44 39.1 | -125 07.0 | 702 | 1014.2 | 175 | 18 | CTD with biochem | WE09502.26 |

| | Start | End | Sta. | Sta. | Latitude | | Longitude | | Bottom | Atmos | Wind | Wind | Event | Event ID |
|-------|-------|------|------|-------|----------|-------|-----------|-------|--------|--------|---------|-------|--------------------------------------|------------|
| (UT) | Time | Time | No. | Name | (deg) | (min) | (deg) | (min) | Depth | Press | Dir. | Speed | | |
| | (UT) | (UT) | | | | | | | (m) | (mbar) | (deg T) | (kts) | | |
| | 1427 | 1435 | | | 44 | 39.1 | -125 | 07.0 | | | | | vertical net tow, 100 m | WE09502.27 |
| | 1444 | | | | 44 | 38.9 | -125 | 07.0 | | | | | Mocness deployed | WE09502.28 |
| | 1445 | | | | | | | | | | | | cleaned flo-thru fluorometer | |
| | | 1622 | | | 44 | 34.8 | -125 | 08.3 | | | | | Mocness aboard | WE09502.29 |
| | 1626 | | | | 44 | 34.75 | -125 | 08.44 | | | | | drifter 35897 deployed | WE09502.30 |
| | 1756 | | | NH-55 | 44 | 39.1 | -125 | 22.0 | | | | | HTI recovered | WE09502.31 |
| | 1808 | | 10 | NH-55 | 44 | 39.1 | -125 | 22.0 | 2866 | 1015.2 | 175 | 16 | CTD with oxygen | WE09502.32 |
| | 1930 | | | | | | | | | | | | cleaned flo-thru filters | |
| | 2009 | | 11 | NH-65 | 44 | 39.1 | -125 | 36.0 | 2857 | 1015.1 | 190 | 17 | CTD with biochem, mzp | WE09502.33 |
| | 2102 | 2109 | | | 44 | 39.1 | -125 | 36.0 | | | | | vertical net tow, 100 m | WE09502.34 |
| | 2116 | | | | 44 | 39.07 | -125 | 36.02 | | | | | drifter 35898 deployed | WE09502.35 |
| | 2313 | | 12 | NH-85 | 44 | 39.1 | -126 | 02.9 | 2884 | 1014.8 | 200 | 18 | CTD with biochem | WE09502.36 |
| 6-Apr | 0008 | | | | | | | | | | | | transit to FM-Line | |
| | 0252 | | | | | | | | | | | | air calibration of transmissometer | |
| | 0831 | | 13 | FM-9 | 43 | 13.0 | -125 | 10.1 | 1649 | 1018.2 | 310 | 7 | CTD with biochem, mzp | WE09602.1 |
| | 0921 | 0926 | | | 43 | 13.0 | -125 | 10.0 | | | | | vertical net tow, 100 m | WE09602.2 |
| | 0929 | 0935 | | | 43 | 13.1 | -125 | 10.1 | | | | | vertical net tow for M. Ohman, 100 m | WE09602.3 |
| | 1032 | | 14 | FM-8 | 43 | 12.9 | -125 | 00.0 | 1083 | 1018.3 | 320 | 6 | CTD with biochem, mzp | WE09602.4 |
| | 1120 | 1125 | | | 43 | 13.0 | -125 | 00.0 | | | | | vertical net tow, 100 m | WE09602.5 |
| | 1135 | | | | 43 | 13.0 | -125 | 00.0 | | | | | HTI deployed | WE09602.6 |
| | 1249 | | 15 | FM-7 | 43 | 13.0 | -124 | 50.0 | 343 | 1018.5 | 320 | 8 | CTD with biochem, mzp | WE09602.7 |
| | 1323 | 1328 | | FM-7 | 43 | 13.0 | -124 | 50.0 | | | | | vertical net tow, 100 m | WE09602.8 |
| | 1337 | | | | 43 | 13.1 | -124 | 50.3 | | | | | Mocness deployed | WE09602.9 |
| | | 1457 | | | 43 | 16.0 | -124 | 51.9 | | | | | Mocness aboard | WE09602.10 |
| | 1500 | | | | | | | | | | | | cleaned flo-thru fluorometer | |
| | 1508 | | | | 43 | 16.1 | -124 | 52.1 | | | | | HTI recovered for inspection (noisy) | WE09602.11 |
| | 1514 | | | | 43 | 16.0 | -124 | 52.1 | | | | | HTI redeployed looks fine) | WE09602.12 |
| | 1614 | | 16 | FM-6 | 43 | 13.0 | -124 | 45.1 | 317 | 1020.5 | 310 | 3 | CTD with oxygen | WE09602.13 |
| | 1723 | | 17 | FM-5 | 43 | 13.0 | -124 | 40.0 | 157 | 1021.2 | 340 | 6 | CTD with biochem | WE09602.14 |
| | 1746 | 1753 | | | 43 | 13.0 | -124 | 40.0 | | | | | vertical net tow, 100 m | WE09602.15 |
| | 1801 | | | | 43 | 13.1 | -124 | 40.1 | | | | | Mocness deployed | WE09602.16 |
| | | 1856 | | | 43 | 15.3 | -124 | 41.4 | | | | | Mocness aboard | WE09602.17 |
| | 2000 | | 18 | FM-4 | 43 | 13.0 | -124 | 34.9 | 85 | 1021.2 | 340 | 5 | CTD with biochem, mzp | WE09602.18 |
| | 2030 | 2035 | | | 43 | 13.0 | -124 | 34.7 | | | | | vertical net tow, 77m | WE09602.19 |
| | 2034 | | | | | | | | | | | | cleaned flo-thru filters | |
| | 2054 | | | | 43 | 13.0 | -124 | 34.7 | | | | | Mocness deployed | WE09602.20 |
| | | 2128 | | | 43 | 14.2 | -124 | 34.9 | | | | | Mocness aboard | WE09602.21 |
| | 2213 | | 19 | FM-3 | 43 | 13.0 | -124 | 30.0 | 65 | 1021.2 | 340 | 11 | CTD; rosette malfunctioned | WE09602.20 |
| | 2230 | 2234 | | | 43 | 13.0 | -124 | 30.0 | | | | | vertical net tow, 60m | WE09602.21 |

| | Start | End | Sta. | Sta. | Latitude | | Longitude | | Bottom | Atmos | Wind | Wind | Event | Event ID |
|-------|-------|------|------|-------|----------|-------|-----------|-------|--------|--------|---------|-------|---------------------------------------|------------|
| (UT) | Time | Time | No. | Name | (deg) | (min) | (deg) | (min) | Depth | Press | Dir. | Speed | | |
| | (UT) | (UT) | | | | | | | (m) | (mbar) | (deg T) | (kts) | | |
| | 2237 | 2241 | | | 43 | 12.9 | -124 | 30.0 | | | | | vertical net tow for M. Ohman, 50m | WE09602.24 |
| | 2247 | | 20 | FM-3 | 43 | 13.0 | -124 | 30.0 | 66 | | | | CTD with biochem, mzp | WE09602.25 |
| | 2304 | | | | 43 | 12.9 | -124 | 30.0 | | | | | Mocness deployed | WE09602.26 |
| | | 2328 | | | 43 | 13.3 | -124 | 31.2 | | | | | Mocness aboard | WE09602.27 |
| | 2338 | | | | 43 | 13.3 | -124 | 31.4 | | | | | HTI recovered | WE09602.28 |
| 7-Apr | 0022 | | 21 | FM-1 | 43 | 13.0 | -124 | 26.0 | 34 | 1021.1 | 330 | 11 | CTD | WE09702.1 |
| | 0035 | 0037 | | | 43 | 13.0 | -124 | 26.0 | | | | | vertical net tow, 30 m | WE09702.2 |
| | 0038 | | | | | | | | | | | | begin transit to CR-11 | |
| | 0313 | | | | | | | | | | | | cleaned flo-thru filters | |
| | 0321 | | | | | | | | | | | | air calibration of transmissometer | |
| | 0944 | 1028 | 22 | CR-11 | 41 | 54.0 | -126 | 00.0 | 3329 | 1021.7 | 325 | 14 | CTD with biochem, mzp | WE09702.3 |
| | 1037 | 1044 | | | 41 | 54.0 | -126 | 00.0 | | | | | vertical net tow, 100m | WE09702.4 |
| | 1222 | | 23 | CR-10 | 41 | 54.0 | -125 | 39.9 | 2930 | 1020.5 | 335 | 15 | CTD | WE09702.5 |
| | 1426 | | 24 | CR-9a | 41 | 54.0 | -125 | 24.0 | 3096 | 1020.5 | 340 | 15 | CTD with biochem, mzp | WE09702.3 |
| | 1522 | 1528 | | | 41 | 54.0 | -125 | 24.0 | | | | | vertical net tow, 100m | WE09702.6 |
| | 1531 | 1537 | | | 41 | 54.0 | -125 | 24.0 | | | | | vertical net tow, 100m for Mark Ohman | WE09702.7 |
| | 1636 | 1724 | 25 | CR-8 | 41 | 54.0 | -125 | 12.0 | 2723 | 1020.9 | 345 | 13 | CTD with oxygen | WE09702.8 |
| | 1824 | 1904 | 26 | CR-7 | 41 | 54.0 | -125 | 00.0 | 838 | 1021.0 | 335 | 17 | CTD with biochem, mzp | WE09702.9 |
| | 1908 | 1913 | | | 41 | 53.9 | -125 | 00.0 | | | | | vertical net tow, 100 m | WE09702.10 |
| | 2016 | 2047 | 27 | CR-6 | 41 | 54.0 | -124 | 48.0 | 706 | 1021.0 | 335 | 18 | CTD | WE09702.11 |
| | 2126 | 2200 | 28 | CR-5 | 41 | 54.0 | -124 | 42.0 | 658 | 1019.5 | 345 | 18 | CTD with biochem | WE09702.12 |
| | 2255 | 2328 | 29 | CR-4 | 41 | 54.0 | -124 | 36.0 | 504 | 1018.6 | 325 | 23 | CTD with biochem, mzp | WE09702.13 |
| | 2348 | | | | | | | | | | | | cleaned flo-thru filters | |
| | 2356 | | | | | | | | | | | | cleaned flo-thru fluorometer | |
| 8-Apr | 0056 | 0106 | 30 | CR-1 | 41 | 54.0 | -124 | 17.9 | 40 | 1015.9 | 320 | 27 | CTD with biochem, mzp | WE09802.1 |
| | 0111 | 0113 | | | 41 | 54.0 | -124 | 18.0 | | | | | vertical net tow, 35 m | WE09802.2 |
| | 0125 | | | | 41 | 54.0 | -124 | 18.1 | | | | | HTI deployed | WE09802.3 |
| | 0210 | 0219 | 31 | CR-2 | 41 | 54.0 | -124 | 24.0 | 68 | 1016.2 | 335 | 23 | CTD | WE09802.4 |
| | 0226 | 0229 | | | 41 | 54.0 | -124 | 24.0 | | | | | vertical net tow, 60m | WE09802.5 |
| | 0232 | 0235 | | | 41 | 54.1 | -124 | 24.0 | | | | | vertical net tow for M. Ohman, 62m | WE09802.6 |
| | 0244 | | | | 41 | 54.3 | -124 | 24.0 | | | | | Mocness deployed | WE09802.7 |
| | | 0308 | | | 41 | 55.1 | -124 | 24.2 | | | | | Mocness aboard | WE09802.8 |
| | 0416 | 0432 | 32 | CR-3 | 41 | 54.0 | -124 | 30.0 | 135 | 1016.2 | 335 | 23 | CTD with biochem, mzp | WE09802.9 |
| | 0437 | 0443 | | | 41 | 54.0 | -124 | 30.0 | | | | | vertical net tow, 100m | WE09802.10 |
| | 0452 | | | | 41 | 54.0 | -124 | 30.0 | | | | | Mocness deployed | WE09802.11 |
| | | 0530 | | | 41 | 55.3 | -124 | 31.4 | | | | | Mocness recovered | WE09802.12 |
| | 0620 | 0626 | | CR-4 | 41 | 54.0 | -124 | 36.0 | | 1016.3 | 340 | 22 | vertical net tow, 100 m | WE09802.13 |
| | 0633 | | | | 41 | 54.1 | -124 | 36.1 | | | | | Mocness deployed | WE09802.14 |
| | | 0739 | | | 41 | 56.8 | -124 | 37.6 | | | | | Mocness aboard | WE09802.15 |


| | Start | End | Sta. | Sta. | Latitude | | Longitude | | Bottom | Atmos | Wind | Wind | Event | Event ID |
|--------|-------|------|------|------|----------|-------|-----------|-------|--------|--------|---------|-------|-------------------------------------|------------|
| (UT) | Time | Time | No. | Name | (deg) | (min) | (deg) | (min) | Depth | Press | Dir. | Speed | | |
| | (UT) | (UT) | | | | | | | (m) | (mbar) | (deg T) | (kts) | | |
| | 0856 | 0900 | | CR-6 | 41 | 53.9 | -124 | 47.9 | | 1016.2 | 335 | 23 | vertical net tow, 100 m | WE09802.16 |
| | 0910 | | | | 41 | 53.9 | -124 | 48.0 | | | | | Mocness deployed | WE09802.17 |
| | | 1010 | | | 41 | 55.7 | -124 | 50.0 | | | | | Mocness aboard | WE09802.18 |
| | 1019 | | | | 41 | 55.7 | -124 | 50.2 | | | | | HTI recovered | WE09802.19 |
| | 1025 | | | | | | | | | | | | begin transit to RR line | |
| | 1350 | | | | | | | | | | | | air calibration of transmissometer | |
| | 1504 | | 33 | RR-1 | 42 | 30.0 | -124 | 30.0 | 37 | 1014.4 | 160 | 3 | CTD with biochem, mzp | WE09802.20 |
| | 1517 | 1520 | | | 42 | 30.0 | -124 | 30.0 | | | | | vertical net tow, 30 m | WE09802.21 |
| | 1528 | | | | 42 | 30.0 | -124 | 30.0 | | | | | HTI deployed | WE09802.22 |
| | 1610 | 1623 | 34 | RR-2 | 42 | 30.0 | -124 | 36.0 | 88 | 1014.9 | 200 | 5 | CTD with biochem, mzp | WE09802.23 |
| | 1628 | 1633 | | | 42 | 30.0 | -124 | 36.0 | | | | | vertical net tow, 83 m | WE09802.24 |
| | 1640 | | | | 42 | 30.0 | -124 | 36.0 | | | | | Mocness deployed | WE09802.25 |
| | | 1714 | | | 42 | 31.5 | -124 | 36.2 | | | | | Mocness aboard | WE09802.26 |
| | 1801 | 1819 | 35 | RR-3 | 42 | 30.0 | -124 | 42.0 | 135 | 1015.4 | 200 | 4 | CTD with biochem, mzp | WE09802.27 |
| | 1822 | 1828 | | | 42 | 30.0 | -124 | 42.1 | | | | | vertical net tow, 100 m | WE09802.28 |
| | 1834 | | | | 42 | 30.1 | -124 | 42.1 | | | | | Mocness deployed | WE09802.29 |
| | | 1912 | | | 42 | 31.3 | -124 | 41.2 | | | | | Mocness aboard | WE09802.30 |
| | 2005 | 2037 | 36 | RR-4 | 42 | 30.0 | -124 | 48.1 | 584 | 1015.2 | 157 | 7 | CTD with biochem, mzp | WE09802.31 |
| | 2041 | 2047 | | | 42 | 29.9 | -124 | 48.2 | | | | | vertical net tow, 100 m | WE09802.32 |
| | 2056 | | | | 42 | 30.0 | -124 | 48.2 | | | | | Mocness deployed | WE09802.33 |
| | | 2205 | | | 42 | 32.7 | -124 | 48.6 | | | | | Mocness aboard | WE09802.34 |
| | 2211 | | | | 42 | 32.7 | -125 | 48.6 | | | | | HTI recovered | WE09802.35 |
| | 2251 | 2342 | 37 | RR-5 | 42 | 30.0 | -124 | 54.0 | 1158 | 1015.2 | 150 | 8 | CTD with oxygen | WE09802.36 |
| 9-Apr | 0020 | 0112 | 38 | RR-6 | 42 | 30.0 | -125 | 00.0 | 1768 | 1014.0 | 180 | 12 | CTD with biochem, mzp | WE09902.1 |
| | 0118 | 0123 | | | 42 | 30.0 | -124 | 00.1 | | | | | vertical net tow, 100 m | WE09902.2 |
| | 0224 | 0318 | 39 | RR-7 | 42 | 30.0 | -125 | 12.0 | 2970 | 1013.2 | 140 | 10 | CTD with biochem, mzp | WE09902.3 |
| | 0322 | 0329 | | | 42 | 29.9 | -125 | 12.0 | | | | | vertical net tow, 100 m | WE09902.4 |
| | 0335 | | | | | | | | | | | | begin transit to HH-7 | |
| | 1245 | 1258 | 40 | HH-1 | 44 | 00.1 | -124 | 12.0 | 54 | 1012.5 | 180 | 19 | CTD with biochem, mzp | WE09902.5 |
| | 1301 | 1304 | | | 44 | 00.0 | -124 | 12.0 | | | | | vertical net tow, 48m | WE09902.6 |
| | 1420 | 1438 | 41 | HH-2 | 44 | 00.0 | -124 | 24.0 | 120 | 1012.0 | 190 | 30 | CTD with biochem, mzp | WE09902.7 |
| | 1443 | 1448 | | | 44 | 00.0 | -124 | 23.9 | | | | | vertical net tow, 100 m | WE09902.8 |
| | 1619 | 1636 | 42 | HH-3 | 44 | 00.0 | -124 | 35.9 | 155 | 1012.6 | 190 | 24 | CTD with biochem, mzp | WE09902.9 |
| | 1752 | 1806 | 43 | HH-4 | 44 | 00.0 | -124 | 47.9 | 113 | 1013.2 | 210 | 24 | CTD with biochem, mzp | WE09902.10 |
| | 1919 | 2004 | 44 | HH-5 | 44 | 00.0 | -125 | 00.0 | 927 | 1012.8 | 205 | 18 | CTD with biochem, mzp | WE09902.11 |
| | 2110 | 2158 | 45 | HH-7 | 44 | 00.0 | -125 | 12.0 | 1687 | 1014.0 | 205 | 15 | CTD with biochem, mzp | WE09902.12 |
| | 2305 | 2354 | 46 | HH-9 | 44 | 00.0 | -125 | 30.0 | 3016 | 1015.1 | 200 | 17 | CTD with biochem, mzp | WE09902.13 |
| 10-Apr | 0000 | | | | | | | | | | | | transit to HH-5 for Mocness section | |
| | 0044 | | | | | | | | | | | | air calibration of transmissometer | |

| | Start | End | Sta. | Sta. | Latitude | | Longitude | | Bottom | Atmos | Wind | Wind | Event | Event ID |
|------|-------|------|------|------|----------|-------|-----------|-------|--------|--------|---------|-------|-------------------------------|------------|
| (UT) | Time | Time | No. | Name | (deg) | (min) | (deg) | (min) | Depth | Press | Dir. | Speed | | |
| | (UT) | (UT) | | | | | | | (m) | (mbar) | (deg T) | (kts) | | |
| | 0155 | | | | | | | | | | | | arrive HH-5 | |
| | 0203 | | | HH-5 | 44 | 00.0 | -125 | 00.0 | | 1016.0 | 185 | 18 | HTI deployed | WE10002.1 |
| | 0320 | 0326 | | | 44 | 00.0 | -124 | 59.9 | | 1016.6 | 190 | 21 | vertical net tow, 100 m | WE10002.2 |
| | 0335 | | | | 43 | 59.9 | -125 | 00.0 | | | | | Mocness deployed | WE10002.3 |
| | | 0439 | | | 43 | 57.7 | -125 | 00.0 | | | | | Mocness aboard | WE10002.4 |
| | 0621 | 0628 | | HH-4 | 44 | 00.0 | -124 | 48.0 | | 1018.4 | 200 | 21 | vertical net tow, 100 m | WE10002.5 |
| | 0637 | | | | 43 | 59.8 | -124 | 48.1 | | | | | Mocness deployed | WE10002.6 |
| | | 0712 | | | 43 | 58.6 | -124 | 48.7 | | | | | Mocness aboard | WE10002.7 |
| | 0911 | | | HH-3 | 43 | 59.4 | -124 | 35.7 | | 1018.8 | 205 | 20 | vertical net tow, 100 m | WE10002.8 |
| | 0925 | | | | 43 | 59.1 | -124 | 35.6 | | | | | Mocness deployed | WE10002.9 |
| | | 1021 | | | 43 | 56.9 | -124 | 35.6 | | | | | Mocness aboard | WE10002.10 |
| | 1211 | | | HH-2 | 44 | 01.2 | -124 | 23.9 | | 1020.5 | 210 | 18 | Mocness deployed | WE10002.11 |
| | | 1249 | | | 43 | 59.7 | -124 | 24.1 | | | | | Mocness aboard | WE10002.12 |
| | 1306 | 1313 | | | 44 | 00.0 | -124 | 24.0 | | | | | vertical net tow, 100 m | WE10002.13 |
| | 1419 | | | | 44 | 01.3 | -124 | 24.1 | | 1021.2 | 190 | 16 | Mocness deployed | WE10002.14 |
| | | 1456 | | | 43 | 59.8 | -124 | 24.0 | | | | | Mocness aboard | WE10002.15 |
| | 1506 | | | | 44 | 00.0 | -124 | 24.3 | | | | | HTI recovered | WE10002.16 |
| | 1510 | | | | | | | | | | | | begin transit to Newport | |
| | | | | | | | | | | | | | shut down flow through system | |
| | | | | | | | | | | | | | shut down echosounder | |
| | | | | | | | | | | | | | shut down DAS | |
| | | | | | | | | | | | | | shut down ADCP | |
| | | | | | | | | | | | | | arrive at pier in Newport | |






Table 4. Names, affiliations, and responsibilities of scientific personnel participating on W0204A.

| | | | |
|---------------------|--------------------|------|------------------|
| Robert L. Smith | Chief Scientist | OSU | CTD |
| Adriana Huyer | Co-Chief Scientist | OSU | CTD |
| Jane Fleischbein | Technician | OSU | CTD, oxygen |
| Margaret Sparrow | Technician | OSU | CTD |
| Kathryn Brooksforce | Technician | OSU | CTD |
| Mike Wetz | Graduate Student | OSU | nuts, chl |
| Julie Arrington | Technician | OSU | nuts, chl |
| Jennifer Harman | Technician | OSU | nuts, chl |
| Carrie Newell | Graduate Student | OSU | nuts, chl |
| Carlos López | Technician | OSU | microzooplankton |
| Anders Roestad | Technician | ODFW | zooplankton |
| Julie Keister | Technician | HMSC | zooplankton |
| Carolyn Tracy Shaw | Technician | HMSC | zooplankton |
| Mitch Vance | Technician | OSU | zooplankton |
| Linda Faylor | Technician | OSU | martec |
| Daryl Swensen | Technician | OSU | martec |


Temperature, 4-9 April 2002








Salinity, 4-9 April 2002




Sigma-theta, 4-9 April 2002








Fluorescence Voltage, 4-9 April 2002



% Light Transmission, 4-9 April 2002




Oxygen, 4-10 September 2001



Newport Hydrographic Line 44.6°N

4-5 April 2002


ADCP: Northward current (cm/s)



Crescent City Hydrographic Line 41.9°N

07-08 Apr 2002


ADCP: Northward current (cm/s)



Crescent City Hydrographic Line 41.9°N

08 Apr 2002


ADCP: Northward current (cm/s)



Five Mile Hydrographic Line 43.2°N

06-07 Apr 2002


ADCP: Northward current (cm/s)



Rogue River Line 42.5°N

08-09 Apr 2002


ADCP: Northward current (cm/s)



Heceta Head ADCP Line 44.0°N

09 Apr 2002


ADCP: Northward current (cm/s)




Heceta Head ADCP Line 44.0°N

09-10 Apr 2002

ADCP: Northward current (cm/s)



Drifter data from Apr 5 2002 to Apr 10 2002
(dates on land indicate last transmission from failed drifters)
(Courtesy of Jack Barth, Oregon State University)



Zooplankton Report

(Submitted by Julie Keister and Dr. Wm. Peterson, Oregon State University and NOAA)

MOCNESS DESCRIPTIONS

| | | |
|-------------|-----------------------------------------------------------------------------------------------------------------------------|------------------|
| NH5 | 15:30 h (local time) | water depth= 60m |
| 50-20 m | ¼ gallon Pleurobrachia, copepods | |
| 20-10 m | ½ gallon Pleurobrachia, copepods, chaetognaths, amphipods | |
| 10-0 m | ½ gallon Pleurobrachia, copepods, amphipods | |
| NH15 | 20:30 h | water depth=100m |
| 75-50 m | copepods, furcilia, Limacina, amphipods | |
| 50-20 m | copepods, Limacina, furcilia, 10 Pleurobrachia, fish larvae, 10 Clione | |
| 20-10 m | copepods, Limacina, chaetognaths, furcilia, Pleurobrachia | |
| 10-0 m | copepods, Limacina, chaetognaths, 40 Pleurobrachia | |
| NH25 | 23:45 h | water depth=247m |
| 232-200 | copepods, Muggiaea, 10 chaetognaths, 1 myctophid, 1 sergestid shrimp | |
| 200-150 | copepods, chaetognaths, amphipods, adult euphausiids, sergestid, squid | |
| 150-100 | 20 chaetognaths, copepods, 1 sergestid | |
| 100-50 | copepods, Limacina, furcilia, adult euphausiids, Sergestids, squid | |
| 50-35 | copepods, 1 myctophid, 3 fish larvae, 4 adult euphausiids, 2 Sergestids | |
| 35-20 | copepods, adult euphausiids, Limacina, chaetognaths, Sergestids, squid | |
| 20-10 | copepods, ~150 adult euphausiids, furcilia, Limacina, 50 Pleurobrachia | |
| 10-0 | copepods, adult euphausiids, juvenile euphausiids, chaetognaths, 75 Pleurobrachia | |
| NH35 | 03:00 h | water depth=450m |
| 350-300 | copepods, Muggiaea, chaetognaths, amphipods, Limacina, myctophids | |
| 300-200 | copepods, furcilia, Muggiaea, amphipods, squid, myctophids | |
| 200-150 | copepods, amphipods, chaetognaths, Muggiaea, clione, 3 myctophids | |
| 150-100 | 2 myctophids, Limacina, Neocalanus, chaetognaths, 1 Muggiaea, 1 Sergestid | |
| 100-50 | copepods, euphausiid eggs, Limacina, chaetognaths, amphipods, juvy euphausiids, 7 fish larvae, Sergestids | |
| 50-35 | copepods, Clione, Limacina, chaetognaths, Pleurobrachia, “silver dollar” jellies, amphipods, adult euphausiids, fish larvae | |
| 35-20 | ~75 Pleurobrachia, ~200 juvy euphausiids, copepods, phytoplankton, 1 “silver dollar” jelly, 1 Beroe, 2 myctophids | |
| 20-10 | copepods, Limacina, euphausiid eggs, adults euphausiids, chaetognaths, | |
| 10-0 | Pleurobrachia, amphipods, fish larvae copepods, juvenile euphausiids | |

| | | |
|-------------|--------------------------------------------------------------------------------------------------------------------|------------------|
| NH45 | 06:40 h | water depth=670m |
| 350-300 | copepods, chaetognaths, 1 myctophid, 2 Muggiaea | |
| 300-250 | copepods, radiolarians, 7 myctophids, 3 Sergestid | |
| 250-200 | copepods, amphipods, radiolarians, chaetognaths, Muggiaea, adult euphausiids, 7 myctophids, 3 Sergestid, 1 octopus | |
| 200-150 | copepods, Muggiaea, chaetognaths, adult euphausiids, 1 squid | |
| 150-100 | copepods, amphipods, Muggiaea, chaetognaths, adult euphausiids 1 “silver dollar” jelly | |
| 100-50 | copepods, Limacina, chaetognaths, 1 dungeness megalopa | |
| 50-20 | Limacina, copepods, furcilia, 10 Pleurobrachia, 1 myctophid, 3 “silver dollar” jellies | |
| 20-10 | Neocalanus, Limacina, ~50 Pleurobrachia, chaetognaths, furcilia, ~20 megalope, 5 Beroe | |
| 10-0 | Neocalanus, ~200 Pleurobrachia, amphipods, zoea | |
| FM7 | 05:35 h | water depth=345m |
| 340-300 | copepods, amphipods, chaetognaths, Muggiaea, 5 Atolla, 2 fish larvae, 1 myctophid | |
| 300-200 | Muggiaea, chaetognaths, copepods, 2 adult euphausiids | |
| 200-150 | chaetognaths, Muggiaea, copepods, Limacina, 8 adult euphausiids, 1 “silver dollar” jelly, few furcilia | |
| 150-100 | 100 large chaetognaths, amphipods, copepods, adult euphausiids | |
| 100-50 | copepods, amphipods, Limacina, juvy euphausiids, adult euphausiids, furcilia, Pleurobrachia, chaetognaths | |
| 50-20 | ~300 Pleurobrachia, ~100 adult euphausiids, small salps, Limacina, furcilia, 1 Beroe | |
| 20-10 | ~250 Pleurobrachia, ~1000 adult euphausiids, furcilia, amphipods | |
| 10-0 | Pleurobrachia, adult euphausiids, Ptychogena (jelly) | |
| FM5 | 10:00 h | water depth=165m |
| 150-135 | ~1000 adult euphausiids, few Pleurobrachia | |
| 135-125 | ~700 adult euphausiids, Pleurobrachia | |
| 125-100 | adult euphausiids, 4 Pleurobrachia | |
| 100-100 | ~5000 adult euphausiids, furcilia, copepods | |
| 100-85 | ~500 adult euphausiids, furcilia, copepods | |
| 85-50 | ~Pleurobrachia, adult euphausiids, juvy euphausiids, 1 Beroe | |
| 50-30 | furcilia, Pleurobrachia | |
| 30-10 | Pleurobrachia, Limacina, furcilia, amphipods | |
| 10-0 | Pleurobrachia, adult euphausiids, tons of euphausiid eggs, furcilia | |

| | | |
|------------|-----------------------------------------------------------------------------------------|------------------|
| FM4 | 12:55 h | water depth=84m |
| 70-50 | ~100 Pleurobrachia, copepods, furcilia, amphipods, chaetognaths | |
| 50-20 | ~300 Pleurobrachia, furcilia, copepods, phytoplankton | |
| 20-10 | Pleurobrachia. Phytoplankton | |
| 10-0 | ~300 Pleurobrachia, phytoplankton | |
| FM3 | 15:00 h | water depth=64m |
| 50-20 | ½ gallon Pleurobrachia, copepods, Limacina, phytoplankton, amphipods, furcilia | |
| 20-10 | 1 gallon Pleurobrachia, jellies, phytoplankton, amphipods, furcilia | |
| 10-0 | ¾ gallon Pleurobrachia, jellies, phytoplankton, fish larvae | |
| CR2 | 20:45 h | water depth=69m |
| 50-20 | ~400 adult euphausiids, Pleurobrachia, copepods, 20 dungeness megalope | |
| 20-10 | Pleurobrachia, phytoplankton, euphausiid eggs, furcilia, amphipods | |
| 10-0 | ~30 Pleurobrachia, phytoplankton, copepods | |
| CR3 | 20:51 h | water depth=145m |
| 130-100 | ~100 adult euphausiids, copepods | |
| 100-50 | 50 adult euphausiids, 1 8cm flatfish, copepods, Dungeness megalope, 10 Pleurobrachia | |
| 50-35 | ~200 adult euphausiids, 40 Pleurobrachia, furcilia, copepods, 3 fish larvae | |
| 35-20 | ~800 adult euphausiids, Pleurobrachia, copepods, 1 Sole, 15 megalope | |
| 20-10 | copepods, 100 adult euphausiids, 10 Pleurobrachia, 10 megalope | |
| 10-0 | copepods, phytoplankton, ~30 adult <i>T. spinifera</i> , Limacina, furcilia | |
| CR4 | 23:30 h | water depth=495m |
| 350-300 | copepods, chaetognaths, Pleurobrachia, Muggiaea, shrimp, 1 myctophid | |
| 300-200 | copepods, 8 shrimp, Muggiaea, amphipods | |
| 200-150 | chaetognaths, Muggiaea, 5 shrimp, 15 adult euphausiids | |
| 150-100 | copepods, chaetognaths, ~20 adult euphausiids, 6 Pleurobrachia, Muggiaea | |
| 100-50 | 40 Pleurobrachia, 20 shrimp, copepods, chaetognaths, 1 myctophids, 10 adult euphausiids | |
| 50-35 | 200 Pleurobrachia, Neocalanus, 3 fish larvae, 3 shrimp, 1 Beroe | |
| 35-20 | 50 shrimp, Pleurobrachia, chaetognaths, furcilia, 3 fish larvae | |
| 20-10 | 13 shrimp, copepods, Pleurobrachia, furcilia, 1 flatfish | |
| 10-0 | ~800 adult euphausiids, 25 Pleurobrachia, copepods, amphipods, 4 shrimp, 2 fish larvae | |

| | | |
|------------|----------------------------------------------------------------------------------------------------------------------------|------------------|
| CR6 | 02:10 h | water depth=840m |
| 350-300 | 5 Atolla, Muggiaea, copepods, radiolarians | |
| 300-200 | radiolarians, Muggiaea, copepods, chaetognaths | |
| 200-150 | radiolarians, Muggiaea, 20 adult euphausiids, copepods, 1 Pleurobrachia, chaetognaths | |
| 150-100 | 9 myctophids, 1 fish larva, copepods, 1 dungeness megalopa | |
| 100-50 | ~ 500 adult euphausiids, 100 Pleurobrachia, 4 megalopae | |
| 50-20 | ~1000 adult euphausiids, 300 Pleurobrachia, furcilia, copepods | |
| 20-10 | 400 adult euphausiids, furcilia, 20 Pleurobrachia, amphipods, 1 flatfish | |
| 10-0 | ~800 adult euphausiids, furcilia, copepods, Pleurobrachia, Limacina | |
| | | |
| RR2 | 09:40 h | water depth=88m |
| 75-50 | copepods, 80 Pleurobrachia, furcilia, chaetognaths | |
| 50-20 | 150 Pleurobrachia, copepods, furcilia | |
| 20-10 | 100 Pleurobrachia, copepods, furcilia, 2 megalope, jellies | |
| 10-0 | 125 Pleurobrachia, phytoplankton, copepods, 1 “nipple” jelly, 1 Beroe | |
| | | |
| RR3 | 11:30 h | water depth=153m |
| 140-100 | 18 Pleurobrachia, 10 Muggiaea, 30 adult euphausiids, furcilia, copepods | |
| 100-50 | furcilia, 60 Pleurobrachia, copepods, chaetognaths | |
| 50-20 | 60 Pleurobrachia, furcilia, copepods, amphipods | |
| 20-10 | 40 Pleurobrachia, phytoplankton, 9 “nipple” jellies, copepods, amphipods | |
| 10-0 | 12 Pleurobrachia, copepods, chaetognaths, furcilia | |
| | | |
| RR4 | 13:55 h | water depth=110m |
| 350-300 | 78 Sergestid shrimp, copepods, Muggiaea | |
| 300-200 | 60 Sergestid shrimp, 10 glass shrimp, 10 Pleurobrachia, 10 squid, chaetognaths, copepods, 1 myctophid, 5 adult euphausiids | |
| 200-150 | 40 shrimp, Beroe, copepods, chaetognaths, 1 fish larva, 2 squid | |
| 150-100 | 16 Sergestids, 10 adult euphausiids, radiolarians, copepods, chaetognaths | |
| 100-50 | 30 adult euphausiids, radiolarians, 20 Pleurobrachia, furcilia, copepods, chaetognaths | |
| 50-35 | 50 Pleurobrachia, jellies, copepods, amphipods, 10 adult euphausiids, furcilia | |
| 35-20 | 100 Pleurobrachia, 2 shrimp, amphipods, furcilia, 2 Sergestids | |
| 20-10 | Pleurobrachia, furcilia, amphipods, 1 Beroe, 3 megalope, phytoplankton | |
| 10-0 | Beroe, phytoplankton, chaetognaths, 3 adult euphausiids, Muggiaea, furcilia, 1 fish larva, 1 Sergestid | |

| | | |
|------------|------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| HH5 | 20:35 h | water depth=924m |
| 350-300 | copepods, radiolarians, “nipple jellies”, chaetognaths | |
| 300-200 | not described | |
| 200-150 | copepods, radiolarians, 1 myctophid, chaetognaths, 1 fish larva | |
| 150-100 | copepods. Radiolarians, chaetognaths, 1 fish larva | |
| 100-50 | copepods, chaetognaths, ~40 adult euphausiids, 1 dungeness megalope, 1 squid | |
| 50-35 | ~150 adult euphausiids, copepods, 15 Pleurobrachia, 1 fish larva, 1 megalopa | |
| 35-20 | ~200 adult euphausiids, 15 Pleurobrachia, Limacina | |
| 20-10 | ~400 adult euphausiids, furcilia, 15 Pleurobrachia, copepods | |
| 10-0 | not described | |
| HH4 | 23:37 h | water depth=153m |
| 00-50 | 100 | Limacina, copepods, 3 fish larvae, furcilia, 2 adult euphausiids |
| 50-35 | | furcilia, Limacina, copepods, 6 adult euphausiids |
| 35-20 | | 100 adult euphausiids—many purple <i>T. spinifera</i> , furcilia, copepods, 20 Pleurobrachia |
| 20-10 | | 100 Pleurobrachia, copepods, phytoplankton, furcilia, Limacina, many purple <i>T. spinifera</i> |
| 10-0 | | copepods, 5 <i>T. spinifera</i> adult, 4 Pleurobrachia, Limacina |
| HH3 | 02:25 h | water depth=110m |
| 150-100 | | 200 adult euphausiids, copepods, furcilia, 2 shrimp |
| 100-50 | | 200 adult euphausiids, 5 shrimp, 4 Pleurobrachia, furcilia, copepods |
| 50-35 | | 200 adult euphausiids, furcilia, copepods |
| 35-20 | | 300 adult euphausiids, 30 Pleurobrachia, phytoplankton, copepods |
| 20-10 | | 30 Pleurobrachia, 500 juvy euphausiids, phytoplankton, 3 adult euphausiids, copepods |
| 10-0 | | 100 Pleurobrachia, copepods, furcilia |
| HH2 | 05:05 h | water depth=120m |
| 110-50 | | copepods, 15 adult euphausiids, furcilia, 1 large flatworm |
| 50-35 | | 50 adult euphausiids, copepods, 12 Pleurobrachia, amphipods, 1 fish larva |
| 35-20 | | 40 Pleurobrachia, copepods, furcilia, 40 adult euphausiids, phytoplankton, 1 fish larva, 1 6.75” sanddab |
| 20-10 | | 200 Pleurobrachia, phytoplankton, copepods, 40 adult euphausiids, 10 fish larvae, furcilia |
| 10-0 | | 400 Pleurobrachia, phytoplankton, copepods, furcilia |

Other zooplankton sampling:

Vertical tows (200 μ m mesh) from 100 meters (or from just above bottom) to surface were completed at stations NH1, NH5, NH10, NH15, NH20, NH25, NH35, NH45, NH65, FM1, FM3, FM4, FM5, FM7, FM8, FM9, CR1, CR2, CR3, CR4, CR6, CR7, CR9, CR11, RR1, RR2, RR3, RR4, RR6, RR7, HH1, HH2, HH3, HH4 and HH5.

Euphausiids from stations NH25, FM2, CR2, and HH5 were incubated for molting rates. At , NH25, NH35, FM5, and HH5 adult euphausiids were preserved for gut fluorescence measurements. Egg production experiments were conducted on female euphausiids collected from NH25, FM7, FM2, CR2, and HH4. *Thysanoessa spinifera* females from HH4 were taken home to spawn in the laboratory.

Microzooplankton Sampling

(Submitted by Carlos López and Drs. E. and B. Sherr, Oregon State University)

April 4-9, 2002 GLOBEC CRUISE W0204A:

Primary goal: MICROZOOPLANKTON ABUNDANCE, BIOMASS, AND GENERAL TAXONOMIC COMPOSITION:

MICROPROTIST (10 – 200 μm sized heterotrophic protists) BIOMASS -

A) Epifluorescence samples: preserve with Lugol's +Na thiosulfate+ formalin, filter 100 ml subsamples onto 3 μm black filters, stain with DAPI, mount on labeled slide, freeze in slide box.

B) Settling samples: Add 23 ml acid Lugol solution to 240 ml (8 oz) labeled amber bottle, add 207 ml seawater sample, gently mix, cap tightly, store in boxes for later inspection via inverted light microscopy.

Secondary goal: ABUNDANCE OF PHYTOPLANKTON AND BACTERIA

Flow cytometry samples: pipette 3 ml of sample into 4 ml labeled cryovial, add 120 μl of unfrozen, 25% glutaraldehyde (0.5% final conc), cap & mix using vortex mixer, store in liquid nitrogen shipper for later analysis via flow cytometry.

SAMPLING STRATEGY:

Focus on upper 100 m, with emphasis on 0-50 m depth zone, including chlorophyll-a maximum.

Depths to sample: 6 depths per cast

- Depth of chlorophyll-a maximum (will vary from cast to cast)
- 70 m – 100 m depth
- 4 other depths in upper 50 m, more or less evenly spaced; may want to sample the depth nearest the chlorophyll maximum depth

Table 6: Actual sample depths for collection of microzooplankton samples for bacterial counts (Flow Cytometry), dinoflagellate counts (Epifluorescence Microscopy), and ciliate counts (Inverted Scope Microscopy) during the W0204A.

| Station | Sample Collection Depths (m) |
|---------|------------------------------|
| NH-03 | 40, 18, 12, 1 |
| NH-05 | 56, 40, 20, 15, 8, 5 |
| NH-15 | 74, 60, 40, 30, 20, 10, 5 |
| NH-25 | 70, 50, 40, 30, 17, 10 |
| NH-35 | 70, 50, 40, 30, 20, 5 |
| NH-45 | 100, 50, 35, 10 |
| NH-65 | 50, 40, 30, 15, 10, 1 |
| NH-85 | 70, 50, 40, 30, 20, 10, 4 |

No. of Samples = 53

| | |
|------|---------------------------|
| FM-3 | 50, 30, 25, 20, 15, 5 |
| FM-4 | 60, 41, 30, 20, 10, 5 |
| FM-5 | 70, 40, 30, 20, 10, 5 |
| FM-7 | 70, 50, 38, 31, 19, 10, 5 |
| FM-8 | 70, 40, 20, 5 |
| FM-9 | 70, 40, 30, 20, 10, 5 |

No. of Samples = 35

| | |
|-------|-----------------------------|
| CR-1 | 30, 15, 5 |
| CR-3 | 50, 30, 20, 5 |
| CR-4 | 70, 50, 40, 30, 25, 10 |
| CR-5 | 70, 50, 40, 30, 20, 10 |
| CR-7 | 70, 50, 30, 10, 5 |
| CR-9a | 70, 50, 40, 30, 20, 4 |
| CR-11 | 100, 70, 50, 40, 30, 15, 10 |

No. of Samples = 37

| | |
|------|------------------------------|
| RR-1 | 30, 20, 15, 10, 2 |
| RR-2 | 60, 40, 30, 20, 10, 5 |
| RR-3 | 70, 60, 40, 20, 10, 2 |
| RR-4 | 70, 50, 40, 30, 20, 10, 5 |
| RR-6 | 150, 100, 70, 40, 25, 20, 10 |
| RR-7 | 70, 50, 30, 25, 20, 10 |

No. of Samples = 37

Table 6 cont.

| | |
|------|-----------------------------|
| HH-1 | 40, 25, 15, 10, 5 |
| HH-2 | 50, 30, 24, 20, 10, 4 |
| HH-3 | 60, 40, 30, 20, 10 |
| HH-4 | 60, 40, 30, 20, 10, 4.8 |
| HH-5 | 100, 70, 50, 40, 25, 20, 10 |
| HH-7 | 70, 50, 30, 20, 10 |
| HH-9 | 99, 70, 45, 30, 20, 10 |

No. of Samples = 40