Index

#

#define, 58, 318
#include, 387

$

$HOME/.Xdefaults, 432
$HOME/.Xdefaults-*name*, 432

/

/etc/X?.hosts, 177

<

<stdio.h>, 425
<X11/cursorfont.h>, 3
<X11/keysym.h>, 4, 248
<X11/keysymdef.h>, 3, 4, 248, 369
<X11/X.h>, 2, 3, 121, 181, 183
<X11/X10.h>, 4, 433
<X11/Xatom.h>, 3, 58, 154, 318, 347
<X11/Xcms.h>, 3, 73
<X11/Xlib.h>, 3, 4, 8, 73, 182, 316, 381, 404, 413, 414
<X11/Xlibint.h>, 4, 403, 416, 417, 419
<X11/Xproto.h>, 4, 199, 225, 417, 418, 419
<X11/Xprotostr.h>, 4
<X11/Xresource.h>, 3, 351
<X11/Xutil.h>, 3, 329, 331, 335, 339, 372, 373, 379, 382, 387, 427

A

Above, 43, 208
Access control list, 176, **437**
Active grab, **230**, **437**
AllHints, 329
AllocAll, 79, 80, 88, 348
Allocation:
  read-only colormap cells, 82
  colormap, 83
  read-only colormap cells, 83, 84
  read/write colormap cells, 85
  read/write colormap planes, 86
AllocNamedColor, 225
AllocNone, 79
AllowEvents, 240
AllowExposures, 174, 176
AllPlanes, **9**, 122
AllTemporary, 174
AlreadyGrabbed, 232, 236
Always, 20, 34, 49, 55, 198
Ancestors, **437**
AnyButton, 233, 234, 235
AnyKey, 237, 238
AnyModifier, 233, 234, 235, 237, 238
AnyPropertyType, 61, 63
ArcChord, 125, 136, 149
ArcPieSlice, 121, 125, 136, 149
Arcs:
  drawing, 144
  filling, 148
Areas:
  clearing, 137
  copying, 138
AsyncBoth, 238, 239
AsyncKeyboard, 238, 239, 240
AsyncPointer, 238, 239, 240
Atom, 58
  predefined, 58
  getting name, 60
  interning, 60
  getting name, 61
Atom, 302
  predefined, 318
Atom, 322, 418, 420, **437**
Authentication, 176
AutoRepeatModeDefault, 243
AutoRepeatModeOff, 243, 244, 245
AutoRepeatModeOn, 243, 244, 245

B

B16, 417
B32, 417
Background, **437**
Backing store, **437**
BadAccess, 49, 88, 89, 90, 91, 178, 179, 180, **225**, 235, 238
BadAlloc, 38, 60, 64, 68, 69, 70, 71, 79, 80, 126, 128, 129, 130, 131, 133, 134, 135, 136, 153, **225**, 251, 252, 326, 327, 329, 331, 333, 334, 335, 336, 337, 338, 340, 342, 343, 348, 378, 385, 387, 427, 428, 429, 430
BadAtom, 61, 63, 64, 65, 66, 67, **225**, 227, 262, 263, 293, 295, 302, 326, 334, 335, 348, 349, 429,

430
BadColor, 38, 49, 51, 80, 81, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 171, 172, **225**, 227, 293, 295, 302
BadCursor, 38, 49, 52, 72, **225**, 227, 232, 233, 235, 295, 303
BadDrawable, 55, 56, 68, 72, 126, 132, 133, 139, 140, 141, 143, 144, 146, 147, 148, 149, 162, 163, 164, 166, 167, 168, **225**, 227, 385, 386, 387, 430
BadFont, 70, 126, 134, 154, 160, 161, 162, **225**, 227, 275
BadGC, 23, 126, 127, 128, 129, 130, 131, 133, 134, 135, 136, 139, 140, 141, 143, 144, 146, 147, 148, 149, 160, 162, 163, 164, 166, 168, **225**, 227, 385, 387
BadIDChoice, **225**
BadImplementation, 225, **227**
BadLength, 225, **227**, 252, 417
BadMatch, 30, 32, 33, 35, 37, 38, 42, 43, 44, 48, 49, 50, 51, 64, 65, 71, 79, 124, 125, 126, 132, 133, 135, 138, 139, 140, 141, 143, 144, 146, 147, 148, 149, 162, 163, 164, 166, 167, 168, 169, 170, 171, 225, **227**, 242, 243, 244, 321, 379, 386, 387
BadName, 91, 153, 225, **227**
BadPixmap, 38, 49, 50, 51, 69, 71, 126, 133, 135, 225, **227**, 293, 295, 302
BadRequest, 225, **227**
BadValue, 23, 36, 38, 42, 44, 45, 47, 49, 60, 63, 64, 68, 69, 70, 79, 86, 87, 88, 89, 90, 91, 92, 93, 124, 126, 128, 129, 130, 131, 132, 135, 136, 138, 139, 140, 141, 143, 148, 166, 167, 168, 170, 173, 174, 175, 176, 178, 179, 223, 225, **227**, 232, 233, 235, 236, 238, 240, 242, 243, 244, 245, 246, 247, 249, 250, 251, 252, 321, 326, 387
BadWindow, 38, 39, 40, 41, 42, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 55, 57, 58, 63, 64, 65, 66, 67, 79, 138, 170, 171, 172, 215, 223, 224, 225, **227**, 232, 235, 236, 238, 241, 242, 293, 295, 298, 320, 321, 326, 327, 328, 329, 331, 333, 334, 335, 336, 337, 338, 339, 340, 342, 343, 348, 349, 427, 428, 429, 430
Base font name, **437**
Below, 43
Bit:
  gravity, **437**
  plane, **437**
Bitmap, 2, **437**
BitmapBitOrder, **17**
BitmapFileInvalid, 385
BitmapNoMemory, 385, 386
BitmapOpenFailed, 385, 386
BitmapPad, **17**
BitmapSuccess, 385, 386
BitmapUnit, **16**
BlackPixel, **9**
BlackPixelOfScreen, **18**
Bool, **4**, 183, 219, 220, 292, 293, 408
Border, **438**
BottomIf, 43, 44
Button:
  grabbing, 233
  ungrabbing, 235
  grabbing, **438**
Button1, 189
Button1Mask, 189, 191
Button1Motion, 35
Button1MotionMask, 184, 187, 189, 231
Button2, 189
Button2Mask, 189, 191
Button2Motion, 35
Button2MotionMask, 184, 189, 231
Button3, 189
Button3Mask, 189, 191
Button3Motion, 35
Button3MotionMask, 184, 189, 231
Button4, 189
Button4Mask, 189, 191
Button4Motion, 35
Button4MotionMask, 184, 189, 231
Button5, 189
Button5Mask, 189, 191
Button5Motion, 35
Button5MotionMask, 184, 187, 189, 231
ButtonMotion, 35
ButtonMotionMask, 184, 185, 187, 231
ButtonPress, 35, 181, 184, **187**, 193, 215, 234, 239
ButtonPressMask, 49, 184, 187, 215, 231
ButtonRelease, 35, 181, **187**, 193, 239
ButtonReleaseMask, 184, 187, 231
Byte:
  order, **438**

C

CallbackPrototype, **304**
calloc, 424
CapButt, 121, 123, 130
CapNotLast, 123, 130
CapProjecting, 123, 130
CapRound, 123, 130
CARD16, 425
CARD32, 425
CCC, 78
  default, 78
  of colormap, 78
  default, 93

of colormap, 93
default, 94
of colormap, 94
creation, 97
freeing, 98
CellsOfScreen, **19**
CenterGravity, 33, 54, 55
Changing:
pointer grab, 233
char, 61, 63, 64, 425
Character, **438**
Character glyph, **438**
Character set, **438**
Charset, **438**
CharSetEncoding, 267, 268, 437, 440
CharSetRegistry, 267, 268, 437, 440
Child window, 1
Child Window, 53
Children, **438**
Chroma, 109
maximum, 109
Chroma, 110
maximum, 110
Chroma, 111
maximum, 111
CIE metric lightness, 106
maximum, 106
CIE metric lightness, 107
maximum, 107
minimum, 107
CIE metric lightness, 108
maximum, 108
CIE metric lightness, 109
minimum, 109
CirculateNotify, 47, 181, 184, 190, 199, **200**, 206
CirculateRequest, 47, 181, **206**, 207, 214
Class, **438**
Clearing:
areas, 137
windows, 138
Client, **438**
Client White Point, 78
of Color Conversion Context, 95
ClientMessage, 59, 181, 184, **210**, 320
ClientWhitePointOfCCC, **95**
ClipByChildren, 121, 125, 136, 137
Clipping region, **439**
Coded character, **439**
Coded character set, **439**
Codepoint, **439**
Color, 74
naming, 80, 81
allocation, 82, 83
naming, 83
allocation, 84
naming, 84
allocation, 85, 86
deallocation, 87
storing, 88, 89
naming, 90
storing, 90
querying, 91, 92
conversion, 98
Color Characterization Data, 117
Color conversion, 98
Color Conversion Context, 78
creation, 78
default, 78
of colormap, 78
creation, 93
default, 93
of colormap, 93
default, 94
of colormap, 94
creation, 97
freeing, 98
Color map, 74, 83
Colormap, 2, 23, 24
CCC of, 93, 94
Colormap, 302, 418, **439**
ColormapChangeMask, 184, 209
ColormapInstalled, 210
ColormapNotify, 49, 80, 171, 172, 181, **209**
Colormaps:
standard, 347
ColormapUninstalled, 210
Complex, 148
ConfigureNotify, 43, 181, 184, 190, 199, **200**, 206
ConfigureRequest, 2, 43, 44, 45, 46, 47, 48, 181, 206, **207**, 214
ConfigureRequestEvent, 321
ConfigureWindow, 207, 208, 321
Connection, **439**
ConnectionNumber, **9**
Containment, **439**
Control, 252
ControlMask, 189, 191, 231, 235
ConvertSelection, 212
Convex, 148
Coordinate system, **439**
CoordModeOrigin, 141, 142, 143, 148
CoordModePrevious, 141, 142, 143, 148
CopyArea, 139
CopyFromParent, 31, 33, 35, 36, 49, 51

Copying:
areas, 138
planes, 139
CreateNotify, 37, 38, 181, 184, 199, **201**
CurrentTime, 66, 67, 184, 212, 213, 223, 224, **230**, 231, 232, 233, 235, 236, 238, 241, 242, 447
Cursor, 2, 23, 24
Initial State, 38
limitations, 72
Cursor, 303, 418, **439**
CursorShape, 131, 132
Cut Buffers, 378
CWBackingPixel, 30
CWBackingPlanes, 30
CWBackingStore, 30
CWBackPixel, 30
CWBackPixmap, 30
CWBitGravity, 30
CWBorderPixel, 30
CWBorderPixmap, 30
CWBorderWidth, 42
CWColormap, 30
CWCursor, 30
CWDontPropagate, 30
CWEventMask, 30
CWHeight, 42
CWOverrideRedirect, 30
CWSaveUnder, 30
CWSibling, 42
CWStackMode, 42
CWWidth, 42
CWWinGravity, 30
CWX, 42
CWY, 42

D

Data, 420, 421, 424
Data16, 421
Data32, 421
Debugging:
synchronous mode, 224
error event, 225
error handlers, 225
error numbers, 225
error message strings, 227
Default Protection, 176
DefaultBlanking, 174, 176
DefaultColormap, **10**, 74
DefaultColormapOfScreen, **19**
DefaultDepth, **10**
DefaultDepthOfScreen, **19**
DefaultExposures, 174, 176
DefaultGC, **11**
DefaultGCOfScreen, **19**
DefaultRootWindow, **11**
DefaultScreen, 8, **12**
DefaultScreenOfDisplay, **11**
DefaultVisual, **12**, 74
DefaultVisualOfScreen, **19**
Depth, **439**
Destination, **121**
DestroyAll, 23, 24
DestroyCallback, **292**, **305**
DestroyNotify, 39, 181, 184, 199, **202**
Device, **439**
Device Color Characterization, 116
Device profile, 78, 117
DirectColor, 28, 29, 74, 79, 86, 87, 347, **439**, 447
DisableAccess, 179
Display, 8
data structure, 8
Display, 9, 23, 252, 413, 414, 415, 419, 421, **440**
structure, 440
Display, 446
structure, 446
Display Functions, **121**
DisplayCells, **12**
DisplayHeight, **17**
DisplayHeightMM, **17**
DisplayOfCCC, **94**
DisplayOfScreen, **20**
DisplayPlanes, **12**
DisplayString, **13**
DisplayWidth, **18**
DisplayWidthMM, **18**
DoBlue, 74, 81, 88, 89, 90, 91, 92
DoesBackingStore, **20**
DoesSaveUnders, **20**
DoGreen, 74, 81, 88, 89, 90, 91, 92
DontAllowExposures, 174, 176
DontPreferBlanking, 174, 176
DoRed, 74, 81, 88, 89, 90, 91, 92
Drawable, 2, 418, 420, **440**
Drawing:
points, 140
lines, 141
polygons, 141
rectangles, 143
arcs, 144
text items, 161
strings, 162

image text, 163

E

EastGravity, 33, 54, 55
EnableAccess, 179
Encoding, **440**
EnterNotify, 181, **190**, 191, 192, 193, 194, 197, 206, 232
EnterWindowMask, 184, 190, 231
Environment:
  DISPLAY, 7
Error:
  handling, 3
  codes, 225
  handlers, 225
Escapement, **440**
EvenOddRule, 121, 125, 131, 374
Event, 2, 181
  categories, 181
  types, 181
  propagation, 214
Event, **440**
  mask, **440**
  propagation, **440**
  source, **440**
  synchronization, **440**
  Exposure, **441**
Event mask, **183**
EventMaskOfScreen, **20**
Events:
  ButtonPress, 187
  ButtonRelease, 187
  KeyPress, 187
  KeyRelease, 187
  MotionNotify, 187
  EnterNotify, 190
  LeaveNotify, 190
  FocusIn, 193
  FocusOut, 193
  Expose, 197
  KeymapNotify, 197
  GraphicsExpose, 198
  NoExpose, 198
  CirculateNotify, 200
  ConfigureNotify, 200
  CreateNotify, 201
  DestroyNotify, 202
  GravityNotify, 203
  MapNotify, 203
  MappingNotify, 204
  ReparentNotify, 204
  UnmapNotify, 205
  VisibilityNotify, 205
  CirculateRequest, 206
  ConfigureRequest, 207
  MapRequest, 208
  ColormapNotify, 209
  ResizeRequest, 209
  ClientMessage, 210
  PropertyNotify, 210
  SelectionClear, 211
  SelectionRequest, 211
  SelectionNotify, 212
Expose, 2, 30, 32, 34, 39, 40, 41, 42, 44, 45, 46, 137, 169, 175, 181, 190, 194, **197**, 198, 206
ExposureMask, 184, 198
Extension, **441**

F

False, **4**, 20, 26, 31, 34, 35, 40, 43, 44, 45, 46, 47, 48, 55, 57, 58, 60, 90, 98, 138, 154, 184, 186, 189, 191, 207, 208, 209, 215, 217, 218, 220, 221, 222, 224, 231, 236, 254, 261, 271, 289, 290, 293, 313, 330, 360, 361, 363, 403, 409, 410, 421, 422
FamilyChaos, 177
FamilyDECnet, 177
FamilyInternet, 177
FamilyInternet6, 177
FamilyServerInterpreted, 177
Files:
  <X11/X.h>, 2, 3
  <X11/Xatom.h>, 3
  <X11/Xcms.h>, 3
  <X11/Xlib.h>, 3
  <X11/Xresource.h>, 3
  <X11/Xutil.h>, 3
  <X11/cursorfont.h>, 3
  <X11/keysymdef.h>, 3
  <X11/X10.h>, 4
  <X11/Xlib.h>, 4
  <X11/Xlibint.h>, 4
  <X11/Xproto.h>, 4
  <X11/Xprotostr.h>, 4
  <X11/keysym.h>, 4
  <X11/keysymdef.h>, 4
  <X11/Xlib.h>, 8
  <X11/Xatom.h>, 58
  <X11/Xcms.h>, 73
  <X11/Xlib.h>, 73
  <X11/X.h>, 121
  <X11/Xatom.h>, 154
  /etc/X?.hosts, 177
  <X11/X.h>, 181
  <X11/Xlib.h>, 182

<X11/X.h>, 183
<X11/Xproto.h>, 199, 225
<X11/keysym.h>, 248
<X11/keysymdef.h>, 248
<X11/Xlib.h>, 316
<X11/Xatom.h>, 318
<X11/Xutil.h>, 329, 331, 335, 339
<X11/Xatom.h>, 347
<X11/Xresource.h>, 351
<X11/keysymdef.h>, 369
<X11/Xutil.h>, 372, 373, 379
<X11/Xlib.h>, 381
<X11/Xutil.h>, 382, 387
<X11/Xlibint.h>, 403
<X11/Xlib.h>, 404, 413, 414
<X11/Xlibint.h>, 416, 417
<X11/Xproto.h>, 417, 418
<X11/Xlibint.h>, 419
<X11/Xproto.h>, 419
<stdio.h>, 425
<X11/Xutil.h>, 427
$HOME/.Xdefaults, 432
<X11/X10.h>, 433
Filling:
rectangles, 146
arcs, 148
polygon, 148
FillOpaqueStippled, 124, 131, 139
FillPolygon, 147
FillSolid, 121, 124, 131, 164
FillStippled, 124, 131
FillTiled, 124, 131
FlushGC, **415**, 416
FocusChangeMask, 184, 193
FocusIn, 181, **193**, 194, 195, 196, 197, 236, 237, 242
FocusOut, 181, 190, **193**, 194, 195, 196, 197, 206, 236, 237, 242
Font, 2
font, 6
Font, 23, 24, 150, 418, **441**
Font glyph, **441**
FontLeftToRight, 151, 157, 158, 159
FontRightToLeft, 151, 157, 158, 159
Fonts:
freeing font information, 152
getting information, 152
unloading, 152
Fonts, 434
Forget, 34
ForgetGravity, 31, 33, 34, 54
fork, 13
free, 424
Freeing:
resources, 30, 50, 51
colors, 87
Frozen events, **441**
Function set, 116
LINEAR_RGB, 116

G

Gamut compression, 78
client data, 96
procedure, 96
setting in Color Conversion Context, 96
Gamut handling, 78
Gamut querying, 103
GC, 413, **441**
GCArcMode, 119, 127
GCBackground, 119, 127
GCCapStyle, 119, 127
GCClipMask, 119, 127
GCClipXOrigin, 119, 127
GCClipYOrigin, 119
GCCLipYOrigin, 127
GCDashList, 119, 127
GCDashOffset, 119, 127
GCFillRule, 119, 127
GCFillStyle, 119, 127
GCFont, 119, 127
GCForeground, 119, 127
GCFunction, 119, 127
GCGraphicsExposures, 119, 127
GCJoinStyle, 119, 127
GCLineStyle, 119, 127
GCLineWidth, 119, 127
GContext, 2, 23, 24, 127, 152, 153, 158, 159, 225, 418
GCPlaneMask, 119, 127
GCStipple, 119, 127
GCSubwindowMode, 119, 127
GCTile, 119, 127
GCTileStipXOrigin, 119, 127
GCTileStipYOrigin, 119, 127
GeometryCallback, **305**
GetEmptyReq, 419
GetKeyboardControl, 419, 421
GetReq, 419, 420, 424
GetReqExtra, 419, 420
GetResReq, 419, 420
GetWindowAttributes, 419, 421, 422
Glyph, **441**
Glyph image, **441**
Grab, **441**

Grabbing:
server, 174
pointer, 231
buttons, 233
keyboard, 235
keys, 237
GrabFrozen, 232, 236
GrabInvalidTime, 232, 236
GrabModeAsync, 186, 231, 232, 233, 235, 236, 237
GrabModeSync, 231, 232, 233, 235, 236, 237
GrabNotViewable, 232, 236
GrabSuccess, 231
Graphics context, 119
path, 123
initializing, 125
Graphics context, **441**
GraphicsExpose, 125, 136, 139, 181, 182, 184, **198**, 199
Gravity, **441**
GravityNotify, 34, 43, 181, 184, 190, 199, **203**, 206
GrayScale, 28, 29, 71, 74, 79, 86, 346, 347, 429, **441**, 447
GXand, 121
GXandInverted, 121
GXandReverse, 121
GXclear, 121
GXcopy, 121, 138, 139, 164
GXcopyInverted, 121
GXequiv, 121
GXinvert, 121
GXnand, 121
GXnoop, 121
GXnor, 121
GXor, 121
GXorInverted, 121
GXorReverse, 121
GXset, 121
GXxor, 121

H

Hash Lookup, 434
Headers:
<X11/X.h>, 2, 3
<X11/Xatom.h>, 3
<X11/Xcms.h>, 3
<X11/Xlib.h>, 3
<X11/Xresource.h>, 3
<X11/Xutil.h>, 3
<X11/cursorfont.h>, 3
<X11/keysymdef.h>, 3
<X11/X10.h>, 4
<X11/Xlib.h>, 4
<X11/Xlibint.h>, 4
<X11/Xproto.h>, 4
<X11/Xprotostr.h>, 4
<X11/keysym.h>, 4
<X11/keysymdef.h>, 4
<X11/Xlib.h>, 8
<X11/Xatom.h>, 58
<X11/Xcms.h>, 73
<X11/Xlib.h>, 73
<X11/X.h>, 121
<X11/Xatom.h>, 154
<X11/X.h>, 181
<X11/Xlib.h>, 182
<X11/X.h>, 183
<X11/Xproto.h>, 199, 225
<X11/keysym.h>, 248
<X11/keysymdef.h>, 248
<X11/Xlib.h>, 316
<X11/Xatom.h>, 318
<X11/Xutil.h>, 329, 331, 335, 339
<X11/Xatom.h>, 347
<X11/Xresource.h>, 351
<X11/keysymdef.h>, 369
<X11/Xutil.h>, 372, 373, 379
<X11/Xlib.h>, 381
<X11/Xutil.h>, 382, 387
<X11/Xlibint.h>, 403
<X11/Xlib.h>, 404, 413, 414
<X11/Xlibint.h>, 416, 417
<X11/Xproto.h>, 417, 418
<X11/Xlibint.h>, 419
<X11/Xproto.h>, 419
<stdio.h>, 425
<X11/Xutil.h>, 427
<X11/X10.h>, 433
HeightMMOfScreen, **21**
HeightOfScreen, **21**
HeightValue, 372
Host Portable Character Encoding, **441**
Hotspot, **442**

I

IconicState, 320, 330
IconMaskHint, 329
IconPixmapHint, 329
IconPositionHint, 329
IconWindowHint, 329
Identifier, **442**

Image text:
drawing, 163
ImageByteOrder, **16**
IMInstantiateCallback, **289**
IncludeInferiors, 125, 136
Inferiors, **442**
InitExtension, 228
Input:
focus, **442**
manager, **442**
Input Control, 181
InputFocus, 222, 223
InputHint, 329
InputOnly, 30, 31, 33, 35, 36, 37, 38, 42, 50, 51, 54, 56, 68, 132, 133, 138, 170, 197, 206, 225, 438, 440, 442, 443
InputOutput, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 54, 125, 437, 438, 442, 443
int, 5, 302, 408, 425
Internationalization, **442**
IsCursorKey, **369**
IsFunctionKey, **369**
IsKeypadKey, **370**
IsMiscFunctionKey, **370**
IsModifierKey, **370**
ISO2022, **442**
IsPFKey, **370**
IsPrivateKeypadKey, **370**
isspace, 448
IsUnmapped, 55
IsUnviewable, 55
IsViewable, 55

J

JoinBevel, 123, 130
JoinMiter, 121, 123, 130
JoinRound, 123, 130

K

KBAutoRepeatMode, 243
KBBellDuration, 243
KBBellPercent, 243
KBBellPitch, 243
KBKey, 243
KBKeyClickPercent, 243
KBLed, 243
KBLedMode, 243
Key:
grabbing, 237
ungrabbing, 238
grabbing, **442**
Keyboard:
grabbing, 235
ungrabbing, 236
bell volume, 243
bit vector, 243
keyclick volume, 243
grabbing, **442**
KeymapNotify, 181, **197**
KeymapStateMask, 184, 197
KeyMapStateMask, 231
KeyPress, 35, 181, **187**, 196, 236, 237, 239, 244, 248, 314, 315, 367
KeyPressMask, 184, 187
KeyRelease, 35, 181, **187**, 197, 236, 239, 244, 314, 367
KeyReleaseMask, 184, 187
Keysym, **442**

L

LastKnownRequestProcessed, **13**
Latin Portable Character Encoding, **443**
Latin-1, **443**
LeaveNotify, 181, **190**, 191, 192, 193, 194, 206, 232
LeaveWindowMask, 184, 190, 231
LedModeOff, 243
LedModeOn, 243
LineDoubleDash, 123, 124, 130
LineOnOffDash, 123, 124, 130
Lines:
drawing, 141
LineSolid, 121, 123, 124, 130
Locale, **443**
Locale name, **443**
Localization, **443**
Lock, 248, 249, 252, 371
LockDisplay, **419**
LockMask, 189, 191, 231, 235
long, 61, 63, 64, 298, 302, 408, 425
LookupColor, 225
LowerHighest, 47, 48
LSBFirst, 16, 17

M

malloc, 424
MapNotify, 40, 181, 184, 190, 199, **203**, 206
Mapped window, **443**
MappingBusy, 246, 252
MappingFailed, 252
MappingKeyboard, 204, 368
MappingModifier, 204, 368

MappingNotify, 181, 184, 200, **204**, 246, 250, 252, 368
MappingPointer, 204
MappingSuccess, 246, 252
MapRequest, 39, 40, 181, 206, **208**, 214
MapWindow, 24, 169
MaxCmapsOfScreen, **21**
mblen, 256
mbtowc, 256
Menus, 173
MinCmapsOfScreen, **22**
Mod1, 248, 252
Mod1Mask, 189, 191, 231, 235
Mod2, 252
Mod2Mask, 189, 191, 231, 235
Mod3, 252
Mod3Mask, 189, 191, 231, 235
Mod4, 252
Mod4Mask, 189, 191, 231, 235
Mod5, 248, 252
Mod5Mask, 189, 191, 231, 235
Modifier keys, **443**
Monochrome, **443**
MotionNotify, 181, 185, **187**, 190, 223
Mouse:
  programming, 243
MSBFirst, 16, 17
Multibyte, **443**

N

NextRequest, **14**, 225
NoEventMask, 35, 184
NoExpose, 136, 139, 181, 184, **198**
Nonconvex, 148
None, **4**, 31, 32, 35, 49, 50, 51, 52, 55, 57, 58, 60, 62, 66, 67, 69, 70, 80, 121, 124, 135, 137, 138, 139, 160, 161, 186, 189, 191, 195, 196, 201, 208, 209, 212, 213, 231, 232, 233, 240, 241, 242, 276, 313, 326, 349, 387, 426
NoOperation, 7, 22
NormalState, 330
NorthEastGravity, 33, 54, 55, 373
NorthGravity, 33, 54, 55
NorthWestGravity, 31, 33, 34, 54, 55, 373
NoSymbol, 248, 250, 367, 368, 369
NotifyAncestor, 192, 194, 195
NotifyDetailNone, 194, 196
NotifyGrab, 192, 193, 194, 196, 197
NotifyHint, 187, 188, 189
NotifyInferior, 192, 194, 195
NotifyNonlinear, 192, 193, 194, 195, 196
NotifyNonlinearVirtual, 192, 193, 194, 195, 196
NotifyNormal, 189, 192, 194
NotifyPointer, 194, 195, 196
NotifyPointerRoot, 194, 196
NotifyUngrab, 192, 193, 194, 196, 197
NotifyVirtual, 192, 194, 195
NotifyWhileGrabbed, 194
NotUseful, 20, 31, 34, 55
NULLQUARK, 364

O

Obscure, **443**
Occlude, **443**
OpenFont, 225
Opposite, 43, 44
Output Control, 181
OwnerGrabButtonMask, 184, 186

P

PackData, 425
Padding, **444**
PAllHints, 332, 333
Parent Window, 1, 53
ParentRelative, 30, 32, 49, 50, 170
PAspect, 332
Passive grab, 230, **444**
PBaseSize, 332
Pixel value, 122, **444**
Pixmap, 2, 23, 24, 302, 418, 420, **444**
Pixmaps, 434
PlaceOnBottom, 200, 207
PlaceOnTop, 200, 207
Plane:
  mask, 122
  copying, 139
Plane, **444**
  mask, **444**
PlanesOfScreen, **22**
PMaxSize, 332
PMinSize, 332
Pointer:
  grabbing, 231
  ungrabbing, 232
  grabbing, 233
Pointer, **444**
  grabbing, **444**
PointerMotion, 35
PointerMotionHintMask, 184, 187, 231
PointerMotionMask, 184, 185, 187, 231
PointerRoot, 24, 195, 196, 241, 242, 330
PointerWindow, 222
Pointing device, **444**

Points:
drawing, 140
poll, 26
Polygons:
drawing, 141
filling, 148
PolyLine, 143, 144
POSIX, **444**
POSIX Portable Filename Character Set, **444**
POSIX System Call:
fork, 13
PPosition, 332
PreeditCaretCallback, **310**
PreeditDoneCallback, **307**
PreeditDrawCallback, **307**
PreeditStartCallback, **307**
PreeditStateNotifyCallback, **303**
PreferBlanking, 174, 176
PResizeInc, 332
Property:
getting, 61
appending, 63
changing, 63
format, 63
listing, 63
prepending, 63
replacing, 63
type, 63
deleting, 65
Property, **445**
Property list, **445**
PropertyChangeMask, 184, 210
PropertyDelete, 211
PropertyNewValue, 211
PropertyNotify, 63, 64, 65, 181, **210**
PropModeAppend, 63, 64
PropModePrepend, 63, 64
PropModeReplace, 63, 64
Protocol:
DECnet, 8
TCP, 8
ProtocolRevision, **14**
ProtocolVersion, **14**
PseudoColor, 28, 29, 74, 79, 85, 86, 87, 347, 441, **445**, 447
PSize, 332
Psychometric Chroma, 106
maximum, 106
Psychometric Chroma, 107
maximum, 107
Psychometric Chroma, 108
maximum, 108
Psychometric Hue Angle, 106, 107, 108, 109
PWinGravity, 332

Q

QLength, **14**
QueryFont, 225, 419, 421
QueryKeymap, 419, 421
QueuedAfterFlush, 215, 216
QueuedAfterReading, 215, 216
QueuedAlready, 215, 216

R

RaiseLowest, 47
Read-only colormap cells, 82
allocating, 82, 83
read-only colormap cells, 83
Read-only colormap cells:
allocating, 84
Read/write colormap cells, 82
allocating, 85
Read/write colormap planes:
allocating, 86
Rectangle:
filling, 146
Rectangle, **445**
RectangleIn, 377
RectangleOut, 377
RectanglePart, 377
Rectangles:
drawing, 143
Redirecting control, **445**
Region, 373
ReleaseByFreeingColormap, 345
ReparentNotify, 169, 181, 184, 200, **204**
ReplayKeyboard, 238, 239, 240
ReplayPointer, 238, 239, 240
Reply, **445**
Request, **445**
Requests, **181**
ResizeRedirect, 209
ResizeRedirectMask, 40, 43, 49, 184, 214
ResizeRequest, 40, 43, 181, 206, **209**, 214
Resource, **445**
Resource IDs, 2
Cursor, 2
Font, 2
GContext, 2
Pixmap, 2
Window, 2
Resource IDs, 23
freeing, 30, 50, 51
Resource IDs, 434

ResourceName, 363
RetainPermanent, 23, 24, 174
RetainTemporary, 23, 24, 174
RevertToNone, 241, 242
RevertToParent, 241, 242
RevertToPointerRoot, 241, 242
RGB values, **445**
Root, 119, **445**
RootWindow, **15**, 280
RootWindowOfScreen, **22**

S

Save set, **446**
Save Unders, 34
Scanline, **446**
  order, **446**
Screen, 1, 7, 8, 9, 18, 19, 20, 21, 22, 413, **446**
  structure, 446
Screen White Point, 103
ScreenCount, **15**
ScreenFormat, 413
ScreenNumberOfCCC, **95**
ScreenOfDisplay, **11**
ScreenSaverActive, 175
ScreenSaverReset, 175
ScreenWhitePointOfCCC, **95**
select, 26
Selection, 65
  getting the owner, 66
  setting the owner, 66
  converting, 67
Selection, **446**
SelectionClear, 66, 181, 184, 210, **211**
SelectionNotify, 67, 181, 184, 210, **212**, 222
SelectionRequest, 66, 67, 181, 184, 210, **211**
SendEvent, 182, 408
Serial Number, 225
Server:
  grabbing, 174
Server, **446**
  grabbing, **446**
ServerVendor, **15**
setlocale, 253, 255, 443
SetModeDelete, 170
SetModeInsert, 170
Shift, 248, 249, 252, 371
Shift sequence, **446**
ShiftMask, 189, 191, 231, 235
short, 61, 63, 64, 425
Sibling, **446**
Source, **121**
SouthEastGravity, 33, 54, 55, 373
SouthGravity, 33, 54, 55
SouthWestGravity, 33, 54, 55, 373
special, 6
Stacking order, 1, **447**
Standard Colormaps, 347
State-dependent encoding, **447**
State-independent encoding, **447**
StateHint, 329
StaticColor, 28, 29, 74, 79, **447**
StaticGravity, 34, 54, 55
StaticGray, 28, 29, 71, 74, 79, 443, **447**
Status, 3, 78, **447**
StatusDoneCallback, **312**
StatusDrawCallback, **312**
StatusStart, 312
StatusStartCallback, **312**
Stipple, **447**
StippleShape, 131, 132
STRING encoding, **447**
String Equivalence, **447**
StringConversionCallback, **306**
Strings:
  drawing, 162
strlen, 363
strtok, 256
StructureNotify, 200, 201, 202, 203, 205
StructureNotifyMask, 184, 200, 202, 203, 204, 205
SubstructureNotify, 200, 201, 202, 203, 205
SubstructureNotifyMask, 184, 200, 201, 202, 203, 204, 205, 320
SubstructureRedirectMask, 35, 39, 40, 43, 44, 45, 46, 47, 48, 49, 184, 207, 208, 214, 320
Success, 63, 321, 323
SyncBoth, 238, 239
SyncHandle, 423
SyncKeyboard, 238, 239, 240
SyncPointer, 238, 239, 240

T

Text:
  drawing, 161
this, 6
Tile, 2
  mode, 30
  pixmaps, 30
Tile, **447**
TileShape, 131, 132
Time, **230**
Timestamp, **447**
TopIf, 43, 44
True, **4**, 20, 26, 34, 35, 40, 55, 57, 58, 63, 86, 87, 90, 98, 99, 102, 115, 121, 137, 139, 151, 154, 169,

182, 184, 186, 189, 191, 198, 201, 202, 204, 205, 209, 211, 215, 217, 218, 219, 220, 221, 222, 223, 224, 231, 236, 247, 254, 261, 266, 271, 289, 290, 292, 293, 313, 323, 330, 358, 359, 360, 361, 363, 369, 370, 377, 403, 409, 410, 421, 422
TrueColor, 28, 29, 74, 79, **447**
Type, **448**

U

Ungrabbing:
  pointer, 232
  buttons, 235
  keyboard, 236
  keys, 238
UngrabKeyboard, 237
UngrabPointer, 232
UnlockDisplay, **419**
UnmapGravity, 34, 55, 205
UnmapNotify, 34, 41, 42, 181, 184, 190, 194, 200, **205**, 206, 320
UnmapNotify Event, 41, 42
UnmapWindow, 169
unsigned, 298, 302, 408, 425
Unsorted, 135
UrgencyHint, 329, 331
USPosition, 332
USSize, 332

V

Value, 110
  maximum, 110
Value, 111
  maximum, 111
  minimum, 111
VendorRelease, **15**
Vertex, 432, **433**
VertexCurved, **433**, 434
VertexDontDraw, **433**, 434
VertexDrawLastPoint, 432
VertexEndClosed, 432, **433**, 434
VertexRelative, **433**
VertexStartClosed, 432, **433**, 434
Viewable, **448**
VisibilityChangeMask, 184, 206
VisibilityFullyObscured, 206
VisibilityNotify, 36, 181, 190, 194, 200, **205**, 206
VisibilityPartiallyObscured, 206
VisibilityUnobscured, 206
Visible, **448**
Visual, **28**, 29, 54, 381, 382, 413
Visual Classes:
  GrayScale, 28
  PseudoColor, 28
  StaticColor, 28
  StaticGray, 28
  TrueColor, 28
Visual Type, **28**
VisualAllMask, 379
VisualBitsPerRGBMask, 379
VisualBlueMaskMask, 379
VisualClassMask, 379
VisualColormapSizeMask, 379
VisualDepthMask, 379
VisualGreenMaskMask, 379
VisualID, 418
VisualIDMask, 379
VisualNoMask, 379
VisualOfCCC, **94**
VisualRedMaskMask, 379
VisualScreenMask, 379
VoidSymbol, 248

W

wctomb, 256
WestGravity, 33, 54, 55
WhenMapped, 20, 34, 49, 55, 198
White point, 78
White point adjustment, 78
  client data, 96
  procedure, 96
  setting in Color Conversion Context, 96
WhitePixel, **9**
WhitePixelOfScreen, **18**
Whitespace, **448**
WidthMMOfScreen, **21**
WidthOfScreen, **21**
WidthValue, 372
WindingRule, 125, 131, 374
Window, **2**
  RootWindow, 15
  XRootWindow, 15
Window, 23, 29
  attributes, 29
  mapping, 30
  InputOnly, 36
  background, 50
  defining the cursor, 51
  undefining the cursor, 52
  clearing, 138
  managers, 173
Window, 298
  name, 327

icon name, 328
determining location, 372
Window, 418, 420
determining location, 430
IDs, 434
InputOnly, **442**
InputOutput, **442**
parent, **444**
root, **446**
gravity, **448**
manager, **448**
WindowGroupHint, 329
Windows, 434
WithdrawnState, 330

X

X Portable Character Set, **448**
X10 compatibility:
XDraw, 432
XDrawDashed, 432
XDrawFilled, 432
XDrawPatterned, 432
XDrawTiled, 432
XDraw, 433
XDrawDashed, 433
XDrawPatterned, 433
XDrawFilled, 434
XDrawTiled, 434
XActivateScreenSaver, **176**
XAddConnectionWatch, **25**, 26
XAddExtension, **405**
XAddHost, **177**, 178
XAddHosts, **178**
XAddPixel, **384**
XAddToExtensionList, **414**
XAddToSaveSet, **170**
XAllocClassHint, **335**
XAllocColor, 80, **82**, 83, 85, 88, 103
XAllocColorCells, 79, 80, **85**, 86, 88
XAllocColorPlanes, 79, 80, **86**, 87, 88, 346
XAllocIconSize, **339**
XAllocID, **414**, 420
XAllocIDs, **414**, 415
XAllocNamedColor, 77, 80, **83**, 84, 85, 88
XAllocSizeHints, **331**, 332
XAllocStandardColormap, **345**
XAllocWMHints, **329**
XAllowEvents, 230, 232, 236, **238**, 239, 240
XAllPlanes, **9**
XAnyEvent, **182**
XAppendVertex, 432
XArc, **140**
XAssocTable, 434, 435, 436
XAutoRepeatOff, **245**
XAutoRepeatOn, **245**
XBaseFontNameListOfFontSet, 267, **269**, 270
XBell, **245**
XBitmapBitOrder, **17**
XBitmapPad, **17**
XBitmapUnit, **16**
XBlackPixel, **9**
XBlackPixelOfScreen, **18**
XBufferOverflow, 314
XButtonEvent, **188**
XButtonPressedEvent, **188**, 189
XButtonReleasedEvent, **188**, 189
Xcalloc, 424
XCellsOfScreen, **19**
XChangeActivePointerGrab, 187, **233**
XChangeGC, **126**, 135, 420
XChangeKeyboardControl, 243, **244**, 245
XChangeKeyboardMapping, 204, **250**, 251
XChangePointerControl, **247**
XChangeProperty, 13, **63**, 64, 211
XChangeSaveSet, **170**
XChangeWindowAttributes, 30, **48**, 49, 80, 171, 209, 214
XChar2b, **150**, 158, 160, 162
XCharStruct, **150**, 151, 152, 157, 158, 159, 160
XCheckIfEvent, 217, **218**
XCheckMaskEvent, **220**, 221
XCheckTypedEvent, **221**
XCheckTypedWindowEvent, **221**
XCheckWindowEvent, **219**, 220
XCirculateEvent, **200**
XCirculateRequestEvent, **207**
XCirculateSubwindows, **47**, 48, 200, 207
XCirculateSubwindowsDown, **47**, 48, 200, 207
XCirculateSubwindowsUp, **47**, 200, 207
XClassHint, **335**, 336, 340, 341, 342
XClearArea, **137**, 138
XClearVertexFlag, 432
XClearWindow, 49, **138**
XClientMessageEvent, **210**
XClipBox, **375**
XCloseDisplay, **23**, 405
XCloseIM, 281, 285, **287**, 292, 299
XCloseOM, **258**, 260
XcmsAddColorSpace, 100, 103, **112**, 113
XcmsAddFunctionSet, 112, **116**
XcmsAllocColor, **83**, 103
XcmsAllocNamedColor, 77, **84**, 85
XcmsCCC, 94, 116
XcmsCCCOfColormap, **93**
XcmsCIELab, **76**, 102

XcmsCIELabClipab, 101
XcmsCIELabClipL, 101
XcmsCIELabClipLab, 101
XcmsCIELabFormat, 75, 115
XcmsCIELabQueryMaxC, 101, **106**
XcmsCIELabQueryMaxL, **106**
XcmsCIELabQueryMaxLC, **107**
XcmsCIELabQueryMinL, **107**
XcmsCIELabToCIEXYZ, 115
XcmsCIELabWhiteShiftColors, 102
XcmsCIELuv, **76**, 102, 103
XcmsCIELuvClipL, 101
XcmsCIELuvClipLuv, 101
XcmsCIELuvClipuv, 101
XcmsCIELuvFormat, 75, 115
XcmsCIELuvQueryMaxC, 101, **108**
XcmsCIELuvQueryMaxL, **108**
XcmsCIELuvQueryMaxLC, **108**, 109
XcmsCIELuvQueryMinL, **109**
XcmsCIELuvToCIEuvY, 115
XcmsCIELuvWhiteShiftColors, 102, 103
XcmsCIEuvY, **75**, 103
XcmsCIEuvYFormat, 75, 96, 115
XcmsCIEuvYToCIELuv, 115
XcmsCIEuvYToCIEXYZ, 115
XcmsCIEuvYToTekHVC, 115
XcmsCIExyY, **75**
XcmsCIExyYFormat, 75, 96, 115
XcmsCIExyYToCIEXYZ, 115
XcmsCIEXYZ, **75**, 99, 100, 103
XcmsCIEXYZFormat, 75, 96, 115
XcmsCIEXYZToCIELab, 115
XcmsCIEXYZToCIEuvY, 115
XcmsCIEXYZToCIExyY, 115
XcmsCIEXYZToRGBi, 115
XcmsClientWhitePointOfCCC, **95**
XcmsColor, **74**, 85, 89, 90, 92, 93, 98, 99, 102, 112, 114, 115
XcmsColorFormat, 75
XcmsColorSpace, 113, 114, 115, 116, 117
XcmsColorSpaces, 113
XcmsCompressionProc, **99**
XcmsConvertColors, **98**, 99
XcmsCreateCCC, **97**, 98
XcmsDefaultCCC, **94**
XcmsDisplayOfCCC, **94**
XcmsFailure, 79, 82, 83, 96, 97, 99, 107, 108, 109, 117
XcmsFormatOfPrefix, 75, **113**, 116
XcmsFreeCCC, 94, 97, **98**
XcmsFunctionSet, 116, 117
XcmsInitFailure, 117, 118
XcmsInitNone, 118
XcmsInitSuccess, 117, 118
XcmsLookupColor, 77, **81**, 82, 85
XcmsPad, **76**
XcmsParseStringProc, **114**
XcmsPerScrnInfo, 116, 117, 118
XcmsPrefixOfFormat, 75, **113**, 116
XcmsQueryBlack, **104**
XcmsQueryBlue, **104**
XcmsQueryColor, 89, **92**
XcmsQueryColors, 90, **92**, 93
XcmsQueryGreen, **104**, 105
XcmsQueryRed, **105**
XcmsQueryWhite, **105**, 106
XcmsRGB, **75**, 76, 103
XcmsRGBFormat, 75, 83, 85, 99, 115
XcmsRGBi, **75**, 76, 99, 100, 103
XcmsRGBiFormat, 75, 99, 115
XcmsRGBiToCIEXYZ, 115
XcmsRGBiToRGB, 115
XcmsRGBToRGBi, 115
XcmsScreenFreeProc, **118**
XcmsScreenInitProc, **117**
XcmsScreenNumberOfCCC, **95**
XcmsScreenWhitePointOfCCC, **95**
XcmsSetCCCOfColormap, 93, **94**
XcmsSetCompressionProc, **96**
XcmsSetWhiteAdjustProc, **96**, 97
XcmsSetWhitePoint, **95**, 96
XcmsStoreColor, **89**, 90
XcmsStoreColors, **90**
XcmsSuccess, 79, 82, 89, 90, 113, 117
XcmsSuccessWithCompression, 79, 82
XcmsTekHVC, **76**, 103
XcmsTekHVCClipC, 101
XcmsTekHVCClipV, 101
XcmsTekHVCClipVC, 102
XcmsTekHVCFormat, 75, 115
XcmsTekHVCQueryMaxC, 104, **109**, 110
XcmsTekHVCQueryMaxV, **110**
XcmsTekHVCQueryMaxVC, **110**, 111
XcmsTekHVCQueryMaxVSamples, **111**
XcmsTekHVCQueryMinV, **111**, 112
XcmsTekHVCToCIEuvY, 115
XcmsTekHVCWhiteShiftColors, 103
XcmsUndefinedFormat, 75, 81, 84, 96, 113
XcmsVisualOfCCC, **94**
XcmsWhiteAdjustProc, **102**
XCNOENT, 388
XCNOMEM, 388
XColor, 72, **74**, 76, 83, 88, 89, 90, 91, 92
XColormapEvent, **209**
XComposeStatus, 370, 371
XCompoundTextStyle, 322

XConfigureEvent, **201**
XConfigureRequestEvent, **207**
XConfigureWindow, 42, **44**, 200, 203, 207, 209
XConnectionNumber, **9**
XContextDependentDrawing, **271**
XContextualDrawing, 261, **271**
XConvertCase, **368**
XConverterNotFound, 321, 323
XConvertSelection, **67**, 211
XCopyArea, 125, 136, **138**, 139, 184, 198, 199
XCopyColormapAndFree, **79**, 80
XCopyGC, **126**
XCopyPlane, 68, 125, 136, **139**, 140, 184, 198, 199
XCreateAssocTable, **435**
XCreateBitmapFromData, **387**
XCreateColormap, **79**, 88, 346
XCreateFontCursor, **69**, 402
XCreateFontSet, 255, 263, **266**, 267, 268, 269, 270, 273, 275, 276, 277, 278, 324, 325
XCreateGC, 119, **125**, 126, 135, 198, 374, 420
XCreateGlyphCursor, **69**, 70
XCreateIC, 255, 281, **293**, 296, 300
XCreateImage, **381**, 382, 384
XCreateOC, 255, **262**, 263, 264, 266
XCreatePixmap, **68**, 420
XCreatePixmapCursor, **70**, 71
XCreatePixmapFromBitmapData, **386**, 387
XCreateRegion, **374**
XCreateSimpleWindow, 36, **38**, 171, 201
XCreateWindow, 30, **36**, 37, 38, 48, 80, 171, 201, 214
XCreateWindowEvent, **201**
XCrossingEvent, **190**
XDefaultColormap, **10**
XDefaultColormapOfScreen, **19**
XDefaultDepth, **10**
XDefaultDepthOfScreen, **19**
XDefaultGC, **11**
XDefaultGCOfScreen, **19**
XDefaultRootWindow, **11**
XDefaultScreen, 8, **12**
XDefaultScreenOfDisplay, **11**
XDefaultString, 323, **324**
XDefaultVisual, **12**
XDefaultVisualOfScreen, **19**
XDefineCursor, 38, **51**, 52
XDeleteAssoc, **436**
XDeleteContext, **388**
XDeleteModifiermapEntry, **251**
XDeleteProperty, **65**, 211
XDestroyAssocTable, **436**
XDestroyIC, 292, **293**, 294, 299
XDestroyImage, 382, **384**
XDestroyOC, **262**, 264, 265, 266
XDestroyRegion, **374**
XDestroySubwindows, **39**, 202
XDestroyWindow, **39**, 202
XDestroyWindowEvent, **202**
XDirectionalDependentDrawing, 261, **271**
XDisableAccessControl, **180**
XDisplayCells, 8, **12**
XDisplayHeight, 8, **17**
XDisplayHeightMM, 8, **17**
XDisplayKeycodes, **249**, 250
XDisplayMotionBufferSize, **223**
XDisplayName, **228**
XDisplayOfIM, **288**
XDisplayOfOM, **259**
XDisplayOfScreen, **20**
XDisplayPlanes, 8, **12**
XDisplayString, **13**
XDisplayWidth, 8, **18**
XDisplayWidthMM, 8, **18**
XDoesBackingStore, **20**
XDoesSaveUnders, **20**
xDoSomethingReply, **418**
xDoSomethingReq, **417**, 420
XDraw, 432, **433**
XDrawArc, 124, **144**, 145, 146
XDrawArcs, 13, 144, **145**, 146
XDrawDashed, 432, 433
XDrawFilled, 432, **434**
XDrawImageString, 160, **163**, 164, 275
XDrawImageString16, **163**, 164
XDrawLine, 124, 137, **141**, 143
XDrawLines, 13, 141, **142**, 143, 432
XDrawPatterned, 432, 433
XDrawPoint, 137, **140**, 141, 416
XDrawPoints, 13, 140, **141**
XDrawRectangle, 124, 137, **143**, 144
XDrawRectangles, 13, 143, **144**
XDrawSegments, 13, 124, 141, **142**, 143, 432
XDrawString, **162**, 163, 275
XDrawString16, **162**, 163
XDrawText, 124, 160, **161**, 162, 275
XDrawText16, 124, 160, **161**, 162
XDrawTiled, 432, 434
XEDataObject, 414
XEHeadOfExtensionList, **414**
XEmptyRegion, **376**, 377
XEnableAccessControl, **179**, 180
XEnterWindowEvent, **190**, 192, 193
XEqualRegion, **377**
XErrorEvent, 225, 410, 412
XESetBeforeFlush, **412**, 413

XESetCloseDisplay, **405**
XESetCopyGC, **406**, 412
XESetCreateFont, **407**
XESetCreateGC, **406**
XESetError, **410**
XESetErrorString, **411**
XESetEventToWire, 408, **409**
XESetFlushGC, **412**
XESetFreeFont, **407**, 408
XESetFreeGC, **406**, 407
XESetPrintErrorValues, **412**
XESetWireToError, **410**, 412
XESetWireToEvent, **408**
XEvent, **182**, 183, 216, 217, 218, 219, 220, 221, 223, 313, 408
xEvent, 408
XEvent, 409
xEvent, 409
XEvent, 410
xEvent, 410
XEvent, 412
XEventMaskOfScreen, **20**
XEventsQueued, 14, **215**, 216
XExposeEvent, **198**
XExtCodes, **404**, 405, 425
XExtData, **413**
XExtendedMaxRequestSize, **13**
XExtentsOfFontSet, 255, **272**
XFetchBuffer, **379**
XFetchBytes, **378**, 379
XFetchName, **327**, 328
XFillArc, 124, 137, **148**, 149
XFillArcs, 13, 125, **149**
XFillPolygon, 13, 124, 125, **148**
XFillRectangle, 124, 137, **146**, 147
XFillRectangles, 13, 146, **147**
XFilterEvent, **313**
XFindContext, **388**
XFindOnExtensionList, **414**
XFlush, **215**
XFlushGC, **127**
XFocusChangeEvent, **193**
XFocusInEvent, **193**, 194, 195, 196, 197
XFocusOutEvent, **193**, 194, 195, 196, 197
XFontProp, **150**
XFontSet, 255, 257, 261, 262, 266, 267, 268, 269, 270, 272, 273, 275, 276, 277, 278, 302, 324, 437
XFontSetExtents, 270, **271**, 272
XFontsOfFontSet, 263, **269**
XFontStruct, **150**, 151, 153, 154, 157, 160, 265, 266, 269, 270, 413
XFontStructs, 269
XFontStructSet, 266, 269
XForceScreenSaver, **175**, 176
XFree, 10, 16, **22**, 27, 53, 61, 63, 172, 178, 224, 250, 257, 260, 288, 290, 292, 295, 296, 306, 323, 324, 328, 329, 331, 332, 335, 336, 338, 339, 340, 345, 356, 379, 380, 386, 424
XFreeColormap, **80**, 209
XFreeColors, 79, **87**, 88
XFreeCursor, 35, **72**
XFreeExtensionList, **404**
XFreeFont, 70, **154**, 408
XFreeFontInfo, 153, **156**
XFreeFontNames, **155**, 156
XFreeFontPath, **173**
XFreeFontSet, 266, 269, **270**, 272
XFreeGC, **127**
XFreeModifiermap, **251**, 252
XFreePixmap, **68**, 69, 385, 387
XFreeStringList, 269, 324, **325**, 344
XGContextFromGC, **127**, 153
XGCValues, **119**, 126
xGenericReply, 419
XGeometry, **430**, 431
XGetAtomName, **60**, 61
XGetAtomNames, **61**
XGetClassHint, **336**
XGetCommand, **343**
XGetDefault, **431**, 432
XGetErrorDatabaseText, **227**, 228, 255
XGetErrorText, **227**, 255, 411
XGetFontPath, **173**
XGetFontProperty, **154**
XGetGCValues, **126**, 127
XGetGeometry, **55**, 56
XGetIconName, **329**
XGetIconSizes, **340**
XGetICValues, 286, **295**, 296, 301
XGetImage, **166**, 167, 168, 381, 382, 384
XGetIMValues, 282, 285, 286, **288**, 290, 292, 293, 297, 299, 300, 303, 304
XGetInputFocus, **242**
XGetKeyboardControl, **244**
XGetKeyboardMapping, **249**, 250
XGetModifierMapping, **252**
XGetMotionEvents, 187, **223**, 224
XGetNormalHints, **427**, 429
XGetOCValues, 262, **263**, 264, 265
XGetOMValues, **259**, 265
XGetPixel, **382**, 383
XGetPointerControl, **247**
XGetPointerMapping, **246**
XGetRGBColormap, 429
XGetRGBColormaps, 302, **348**, 349
XGetScreenSaver, **176**

XGetSelectionOwner, **66**, 67
XGetSizeHints, **429**
XGetStandardColormap, **429**, 430
XGetSubImage, **167**, 168
XGetTextProperty, **326**, 327, 328, 344
XGetTransientForHint, **336**, 337
XGetVisualInfo, **380**
XGetWindowAttributes, **53**, 54, 55
xGetWindowAttributesReply, 422
XGetWindowProperty, **61**, 62, 63, 211
XGetWMClientMachine, **344**
XGetWMColormapWindows, **338**, 339
XGetWMHints, **331**
XGetWMIconName, **328**
XGetWMName, **327**
XGetWMNormalHints, **333**, 334, 427
XGetWMProtocols, **337**, 338
XGetWMSizeHints, **334**, 335, 429
XGetZoomHints, **428**, 429
XGrabButton, 186, 232, **233**, 234, 235, 239
XGrabKey, **237**, 238, 239
XGrabKeyboard, 196, 230, **235**, 236, 237, 238, 239
XGrabPointer, 190, 193, 230, **231**, 232, 233, 234, 239
XGrabServer, **174**
XGraphicsExposeEvent, 182, **198**, 199
XGravityEvent, **203**
XHeightMMOfScreen, **21**
XHeightOfScreen, **21**
XHostAddress, **177**
XIC, 255, 281, 282
XICCEncodingStyle, **321**
XIconifyWindow, **319**, 320
XIconSize, 318, **339**
XID, **4**
XIfEvent, **217**, 218
XIM, 253, 255, 281, 313
XIMAbsolutePosition, 311, **312**
XImage, **165**, 166, 167, 168, 381, 382, 383, 384
XImageByteOrder, **16**
XIMBackwardChar, 306, **311**
XIMBackwardWord, **311**
XIMCallback, 292, 298, 299, 303, **304**
XIMCaretDirection, 306, **311**
XIMCaretDown, **311**
XIMCaretStyle, **311**
XIMCaretUp, **311**
XIMDontChange, 311, **312**
XIMFeedback, 292, 310, 313
XIMForwardChar, 306, **311**
XIMForwardWord, **311**
XIMHighlight, **310**
XIMHotKeyStateOFF, 301
XIMHotKeyStateON, 300, 301
XIMHotKeyTriggers, 300
XIMInitialState, 294, **300**, 303
XIMLineEnd, 306, 311, **312**
XIMLineStart, 311, **312**
XIMNextLine, 311, **312**
XIMOfIC, **295**
XIMPreeditArea, 282, **290**, **291**, 301, 302
XIMPreeditCallbacks, **290**, **291**, 304
XIMPreeditCaretCallbackStruct, 310, **311**
XIMPreeditDisable, 303
XIMPreeditDrawCallbackStruct, 293, **308**
XIMPreeditEnable, **303**
XIMPreeditNone, **290**, **291**
XIMPreeditNothing, **290**, **291**
XIMPreeditPosition, **290**, **291**, 301, 302
XIMPreeditStateNotifyCallbackStruct, **303**
XIMPreeditUnknown, 303
XIMPreserveState, 294, 300
XIMPreviousLine, 311, **312**
XIMPrimary, **310**
XIMProc, **304**
XIMResetState, 300
XIMReverse, 309, **310**
XIMSecondary, **310**
XIMStatusArea, 282, **290**, **291**, 301, 302
XIMStatusCallbacks, **290**, **291**, 304
XIMStatusDataType, **312**
XIMStatusDrawCallbackStruct, **312**
XIMStatusNone, **290**, **291**
XIMStatusNothing, **290**, **291**
XIMStringConversionCallbackStruct, 285, **306**
XIMStringConversionOperation, 307
XIMStringConversionPosition, 306
XIMStringConversionRetrieval, 306, 307
XIMStringConversionSubstitution, 306, 307
XIMStringConversionText, 299, 306
XIMStyle, **290**
XIMStyles, 282, **290**, 291
XIMTertiary, **310**
XIMText, 284, 292, 308, 309, 310, 313
XIMUnderline, **310**
XIMValuesList, 292
XIMVisibleCenter, 309, **310**
XIMVisibleToBackward, 309, **310**, 313
XIMVisibleToCenter, 313
XIMVisibleToForward, 309, **310**, 313
XInitExtension, **404**, 405, 414, 425
XInitImage, **165**
XInitThreads, **24**, 25
XINPreserveState, **300**
XInsertModifiermapEntry, **251**

XInstallColormap, 35, 49, 73, **171**, 209
XInternalConnectionNumbers, **26**, 27
XInternAtom, 58, **60**
XInternAtoms, **60**
XIntersectRegion, **375**
XKeyboardControl, **243**, 244
XKeyboardState, **244**
XKeycodeToKeysym, **367**, 368
XKeyEvent, **188**
XKeymapEvent, **197**
XKeyPressedEvent, **188**, 189, 367, 370
XKeyReleasedEvent, **188**, 189, 367, 370
XKeysymToKeycode, **368**
XKeysymToString, **369**
XKillClient, **174**, 346
XLastKnownRequestProcessed, **13**
XLeaveWindowEvent, **190**, 192, 193
XLFD, **448**
XlibSpecificationRelease, **3**
XListDepths, **10**
XListExtensions, 403, **404**
XListFonts, **154**, 155
XListFontsWithInfo, **155**, 156
XListHosts, **178**
XListInstalledColormaps, **172**
XListPixmapFormats, **16**
XListProperties, **63**
XLoadFont, **153**, 154
XLoadQueryFont, 150, **153**, 154, 156, 407
XLocaleNotSupported, 254, 321, 322, 323
XLocaleOfFontSet, **270**
XLocaleOfIM, 255, **288**
XLocaleOfOM, 255, **259**
XLockDisplay, **25**, 26, 217
XLookUpAssoc, **435**
XLookupBoth, 314
XLookupChars, 314
XLookupColor, 77, **80**, 81
XLookupKeySym, 314
XLookupKeysym, **367**
XLookupNone, 314
XLookupString, **370**, 371
XLowerWindow, **46**, 47, 200, 207
XMakeAssoc, **435**
Xmalloc, 424
XMapEvent, **203**
XMappingEvent, **204**
XMapRaised, **40**, 41, 200, 203, 207, 208
XMapRequestEvent, **208**
XMapSubwindows, **41**, 203, 208
XMapWindow, 30, 38, 39, **40**, 41, 203, 208
XMaskEvent, **220**
XMatchVisualInfo, 10, **380**, 381
XMaxCmapsOfScreen, **21**
XMaxRequestSize, **13**
XmbDrawImageString, **277**, 278
XmbDrawString, 271, **276**, 277
XmbDrawText, 255, **275**, 276
XmbLookupString, 255, 282, 283, 284, 285, 287, **313**, 314, 315
XmbPerCharExtents, 272
XmbResetIC, 285, **294**, 300, 303
XmbSetWMProperties, 255, **340**, 341, 342
XmbTextEscapement, **272**, 273
XmbTextExtents, 255, 272, **273**, 275, 276, 278
XmbTextItem, **275**
XmbTextListToTextProperty, 255, **322**
XmbTextPerCharExtents, 271, **274**, 275, 276
XmbTextPropertyToTextList, 255, **323**, 324, 325, 356
XMinCmapsOfScreen, **22**
XModifierKeymap, **251**, 252
XMotionEvent, **188**
XMoveResizeWindow, **45**, 200, 203, 207, 209, 420
XMoveWindow, **44**, 200, 207, 420
XNArea, 283, 291, **301**, **316**
XNAreaNeeded, 283, 291, **301**, 302, **316**
XNBackground, **302**, **316**
XNBackgroundPixmap, 302, **316**
XNBaseFontName, 264, 316, **317**
XNClientWindow, **298**, **316**
XNColormap, **302**, **316**
XNContextualDrawing, 260, 261, 316, **317**
XNCursor, 303, **316**
XNDefaultString, 265, 316, **317**
XNDestroyCallback, 286, 290, 292, 299, **316**
XNDirectionalDependentDrawing, 260, 261, 316, **317**
XNegative, 372
XNewModifiermap, **251**
XNextEvent, 2, 215, **216**, 313
XNextRequest, **14**
XNFilterEvents, 283, 293, 295, **298**, **316**
XNFocusWindow, 291, **298**, 301, **316**
XNFontInfo, 265, 316, **317**
XNFontSet, 283, **302**, **316**
XNForeground, **302**, **316**
XNGeometryCallback, **298**, **316**
XNHotKey, 300, **316**
XNHotKeyState, 300, 301, **316**
XNInputStyle, 282, 297, 302, **316**
XNLineSpace, 302, **316**
XNLineSpacing, 283
XNMissingCharSet, 264, 316, **317**
XNoExposeEvent, **199**

XNOMAutomatic, 266, 316, **317**
XNoMemory, 321, 322, 323
XNoOp, **22**
XNOrientation, 265, 316, **317**
XNPreeditAttributes, **301**, **316**
XNPreeditCaretCallback, 291, **304**, **316**
XNPreeditDoneCallback, 291, **304**, **316**
XNPreeditDrawCallback, 291, **304**, **316**
XNPreeditStartCallback, 291, **304**, **316**
XNPreeditState, 286, 300, 303, **316**
XNPreeditState., 286
XNPreeditStateNotifyCallback, 286, 303, **316**
XNQueryICValuesList, 285, 286, 287, 290, 292, 299, 300, 303, 304, **316**
XNQueryIMValues, 292, 293
XNQueryIMValuesList, 290, 292, **316**
XNQueryInputStyle, 290, 297, **316**
XNQueryOrientation, 260, 265, 316, **317**
XNR6PreeditCallbackBehavior, 290, 293, **316**
XNRequiredCharSet, 260, 316, **317**
XNResetState, 294, 300, 303, **316**
XNResourceClass, 265, 290, 291, **298**, **316**
XNResourceName, 265, 290, 291, **298**, **316**
XNSeparatorofNestedList, 316
XNSeparatorofNestedList :
, @DEF@""
XNSpotLocation, 291, **302**, **316**
XNStatusAttributes, **301**, **316**
XNStatusDoneCallback, 291, **304**, **316**
XNStatusDrawCallback, 291, **304**, **316**
XNStatusStartCallback, 291, **304**, **316**
XNStdColormap, **302**, **316**
XNStringConversion, 285, 299, **316**
XNStringConversionCallback, 285, 299, **316**
XNVaNestedList, 256, **316**
XNVisiblePosition, 290, 292, **316**
XOC, 257, 261, 262, 264, 265, 266
XOffsetRegion, **374**
XOM, 253, 255, 257, 260, 266, 270
XOMCharSetList, **260**, 264
XOMFontInfo, 265, 266
XOMOfOC, **262**
XOMOrientation, 260
XOMOrientation_Context, 261, 265
XOMOrientation_LTR_TTB, 260, 261, 265
XOMOrientation_RTL_TTB, 261
XOMOrientation_TTB_LTR, 261
XOMOrientation_TTB_RTL, 261
XOpenDisplay, **7**, 8, 12, 13, 28, 181, 228, 356
XOpenIM, 255, 281, 285, 286, **287**
XOpenOM, 255, **258**
XOrientation, 265
XParseColor, 77, **81**
XParseGeometry, **372**, 373, 431
XPeekEvent, **217**
XPeekIfEvent, 217, **218**, 219
XPending, 215, **216**
Xpermalloc, **372**
XPixmapFormatValues, 15, 16
XPlanesOfScreen, **22**
XPoint, **140**, 143, 302
XPointer, **4**, 256
XPointerMovedEvent, 187, **188**, 189
XPointInRegion, **377**
XPolygonRegion, **374**
XProcessInternalConnection, **26**
XPropertyEvent, **210**
XProtocolRevision, **14**
XProtocolVersion, **14**
XPutBackEvent, **221**, 222
XPutImage, 13, **166**, 381, 387
XPutPixel, **383**
XQLength, **14**, 216
XQueryBestCursor, 69, **71**, 72
XQueryBestSize, **131**, 132
XQueryBestStipple, **132**, 133
XQueryBestTile, **132**
XQueryColor, **91**
XQueryColors, **91**, 92
XQueryExtension, **403**
XQueryFont, **153**, 407
XQueryKeymap, **245**, 246
XQueryPointer, 56, **57**, 58, 187
XQueryTextExtents, **158**, 159, 160, 164
XQueryTextExtents16, 158, **159**, 160
XQueryTree, **53**
XRaiseWindow, 2, **46**, 200, 207
XReadBitmapFile, **384**, 385, 386
XReadBitmapFileData, **385**
XRebindKeysym, **371**
XRecolorCursor, 69, **72**
XReconfigureWMWindow, **320**, 321
XRectangle, **140**, 272, 275, 301
XRectangle., 301
XRectangles, 275
XRectInRegion, **377**
XRefreshKeyboardMapping, 204, **368**, 371
XRegisterIMInstantiateCallback, 255, 286, **288**, 289
XRemoveConnectionWatch, **26**
XRemoveFromSaveSet, **170**, 171
XRemoveHost, **178**, 179
XRemoveHosts, **179**
XReparentEvent, **204**
XReparentWindow, **169**, 170, 203, 204
xReply, 421

xReq, 415, 418
XResetScreenSaver, **176**
XResizeRequestEvent, **209**
XResizeWindow, **44**, 45, 200, 203, 207, 209
XResourceManagerString, **356**
xResourceReq, **418**
XRestackWindows, **48**, 200, 207
XrmBindingList, 354
XrmBindLoosely, 354
XrmBindTightly, 354
XrmCombineDatabase, **358**, 359
XrmCombineFileDatabase, **358**
XrmDatabase, 255, **355**
XrmDestroyDatabase, **357**
XrmEnumAllLevels, 363
XrmEnumerateDatabase, **363**
XrmEnumOneLevel, 363
XrmGetDatabase, **357**, 358
XrmGetFileDatabase, 255, **355**, 357
XrmGetResource, **359**, 360, 361
XrmGetStringDatabase, 255, **356**, 357
XrmInitialize, **355**
XrmLocaleOfDatabase, 255, **357**
XrmMergeDatabases, **358**, 359
XrmOptionDescRec, **364**
XrmOptionDescRec.value, 364
XrmOptionKind, **364**
XrmoptionNoArg, 365
XrmoptionSkipArg, 364
XrmoptionSkipNArgs, 364
XrmParseCommand, **364**, 365
XrmPermStringToQuark, **353**
XrmPutFileDatabase, 255, **356**
XrmPutLineResource, **363**
XrmPutResource, 359, **361**
XrmPutStringResource, **362**
XrmQGetResource, **359**, 360, 361
XrmQGetSearchList, **360**, 361
XrmQGetSearchResource, 359, **360**, 361
XrmQPutResource, 359, **361**, 362, 363
XrmQPutStringResource, **362**, 363
XrmQuark, 352, 353
XrmQuarkToString, **353**, 354
XrmSetDatabase, **357**, 432
XrmStringToBindingQuarkList, **354**, 361, 362
XrmStringToQuark, **353**
XrmStringToQuarkList, **354**
XrmUniqueQuark, **353**
XrmValue, **355**, 363
XRootWindow, **15**
XRootWindowOfScreen, **22**
XRotateBuffers, **379**
XRotateWindowProperties, **64**, 65, 211
XSaveContext, **387**, 388
XScreenCount, **15**
XScreenNumberOfScreen, **20**
XScreenOfDisplay, **11**
XScreenResourceString, **356**
XSegment, **140**, 143
XSelectInput, **214**, 215
XSelectionClearEvent, **211**
XSelectionEvent, **212**
XSelectionRequestEvent, **211**
XSendEvent, 210, 212, **222**, 223
XServerInterpretedAddress, **177**
XServerVendor, **15**
XSetAccessControl, **179**
XSetAfterFunction, **224**
XSetArcMode, **136**
XSetBackground, **129**, 420
XSetClassHint, **335**, 342
XSetClipMask, **134**, 135
XSetClipOrigin, **134**
XSetClipRectangles, 13, 125, 126, **135**
XSetCloseDownMode, **23**, 348
XSetCommand, 342, **343**
XSetDashes, 124, 126, **130**, 131
XSetErrorHandler, **225**
XSetFillRule, **131**
XSetFillStyle, **131**
XSetFont, **134**
XSetFontPath, 155, **172**, 173
XSetForeground, 119, **128**, 129
XSetFunction, **129**
XSetGraphicsExposures, **136**, 198
XSetICFocus, 282, **294**
XSetIconName, **328**, 329
XSetIconSizes, **339**, 340
XSetICValue, 286
XSetICValues, 286, **295**, 296, 298, 301
XSetIMValue, 286
XSetIMValues, **287**, 288, 290
XSetInputFocus, **241**, 242
XSetIOErrorHandler, **228**, 229
XSetLineAttributes, 119, **130**
XSetLocaleModifiers, **254**, 255, 256, 258, 287
XSetModifierMapping, 204, **252**
XSetNormalHints, **427**, 429
XSetOCValues, **262**, 263, 265
XSetOMValues, **258**, 259
XSetPlaneMask, **129**
XSetPointerMapping, 204, **246**
XSetRegion, 13, 125, **374**
XSetRGBColormap, 430
XSetRGBColormaps, **347**, 348
XSetScreenSaver, **174**, 175

XSetSelectionOwner, 23, **66**, 211, 212
XSetSizeHints, **428**, 429
XSetStandardColormap, **430**
XSetStandardProperties, **426**, 427
XSetState, **128**
XSetStipple, **133**
XSetSubwindowMode, **136**
XSetTextProperty, **325**, 326, 328, 344
XSetTile, **133**
XSetTransientForHint, **336**
XSetTSOrigin, **133**, 134
XSetWindowAttributes, **30**, 48, 49, 209, 214
XSetWindowBackground, **49**, 50
XSetWindowBackgroundPixmap, **50**
XSetWindowBorder, **50**, 51
XSetWindowBorderPixmap, **51**
XSetWindowBorderWidth, **45**, 46, 200, 207
XSetWindowColormap, **51**, 80, 171, 209
XSetWMClientMachine, 341, 342, **344**
XSetWMColormapWindows, **338**
XSetWMHints, **331**, 340, 341, 342
XSetWMIconName, **328**, 342
XSetWMName, **326**, 327, 342
XSetWMNormalHints, **333**, 334, 341, 342, 427
XSetWMProperties, **342**, 343, 426
XSetWMProtocols, **337**
XSetWMSizeHints, **334**, 428
XSetZoomHints, **428**, 429
XShrinkRegion, **375**
XSizeHints, 318, 331, **332**, 333, 334, 373, 427, 428, 429
XStandardColormap, **345**, 346, 347, 348, 426, 429
XStdICCTextStyle, 322
XStoreBuffer, **378**
XStoreBytes, **378**
XStoreColor, 87, **88**, 89
XStoreColors, 87, **89**, 90, 348
XStoreName, **327**
XStoreNamedColor, 77, 87, **90**, 91
XStringListToTextProperty, **324**
XStringStyle, 322, 323
XStringToKeysym, **369**
XSubImage, 382, **383**, 384
XSubtractRegion, **376**
XSupportsLocale, **254**, 255, 323
XSync, 2, 23, **215**
XSynchronize, **224**, 423
XTextExtents, **157**, 158, 160
XTextExtents16, **157**, 158, 160
XTextItem, **160**
XTextItem16, **160**
XTextProperty, **321**, 322, 323, 324, 325, 326, 327, 328, 344
XTextPropertyToStringList, **325**
XTextStyle, 322
XTextWidth, **156**
XTextWidth16, **156**
XTimeCoord, **224**
XTranslateCoordinates, **56**, 57
XUndefineCursor, **52**
XUngrabButton, **235**
XUngrabKey, **238**
XUngrabKeyboard, 23, **236**, 237
XUngrabPointer, 23, 187, 190, **232**
XUngrabServer, 23, **174**
XUninstallColormap, 73, 80, **171**, 172, 209
XUnionRectWithRegion, **376**
XUnionRegion, **375**
XUniqueContext, **388**
XUnloadFont, 153, **154**, 156
XUnlockDisplay, **25**
XUnmapEvent, **205**
XUnmapSubwindows, **41**, 42
XUnmapWindow, **41**
XUnregisterIMInstantiateCallback, 255, 286, **289**
XUnsetICFocus, 282, **294**
XVaCreateNestedList, 256, 257
XValue, 372
XVaNestedList, 256, 296
XVendorRelease, **15**
XVisibilityEvent, **206**
XVisualIDFromVisual, **29**
XVisualInfo, 28, **379**
XWarpPointer, **240**, 241
XWatchProc, **25**
XwcDrawImageString, **277**, 278
XwcDrawString, **276**, 277
XwcDrawText, 255, **275**, 276
XwcFreeStringList, **324**
XwcLookupString, 255, 282, 283, 284, 285, 287, **313**, 314, 315
XwcPerCharExtents, 272
XwcResetIC, 285, 294, 300, 303
XwcTextEscapement, **272**, 273
XwcTextExtents, 255, 272, **273**, 275, 276, 278
XwcTextItem, **275**
XwcTextListToTextProperty, 255, **322**
XwcTextPerCharExtents, 271, **274**, 275, 276
XwcTextPropertyToTextList, 255, **323**, 324
XWhitePixel, **9**
XWhitePixelOfScreen, **18**
XWidthMMOfScreen, **21**
XWidthOfScreen, **21**
XWindowAttributes, 53, **54**
XWindowChanges, **42**, 44, 320
XWindowEvent, 2, 215, **219**

XWithdrawWindow, **320**
XWMGeometry, **372**, 373, 430
XWMHints, 318, **329**, 331, 340, 342
XWriteBitmapFile, **386**, 387
XXorRegion, **376**
XY format, **448**
XYBitmap, 166, 381
XYPixmap, 166, 167, 168, 381
X_CopyArea, 199
X_CopyPlane, 199
X_MapWindow, 420

Y

YNegative, 372
YSorted, 135
YValue, 372
YXBanded, 135
YXSorted, 135

Z

Z format, **448**
ZPixmap, 166, 167, 168, 381

_

_XAllocScratch, **424**
_XAllocTemp, **424**
_Xdebug, 224
_XFlushGCCache, **415**
_XFreeTemp, **424**
_XRead, 422, 424
_XRead16, 422
_XRead16Pad, 423
_XRead32, 423
_XReadPad, 423
_XReply, 411, **421**, 422, 424
_XSend, 420, 421, 424
_XSetLastRequestRead, **409**